

U. S. DEPARTMENT OF ENERGY STRATEGIC PETROLEUM RESERVE PROJECT MANAGEMENT OFFICE NEW ORLEANS, LA



CONTRACT NO. 89243523CCR000011

SUNOCO PARTNERS MARKETING & TERMINALS LP

PURCHASE APPROXIMATELY THREE MILLION BARRELS OF U.S. PRODUCED SOUR CRUDE OIL FOR THE STRATEGIC PETROLEUM RESERVE

TABLE OF CONTENTS							
PART I - TH	PART I - THE SCHEDULE						
Section A	Solicitation/Contract Form - SF 1449						
Section B	Supplies or Services and Prices/Costs						
Section C	Description/Specifications/Statement of Work						
Section D	Packaging and Marking						
Section E	Inspection and Acceptance						
Section F	Deliveries or Performance						
Section G	Contract Administration Data						
Section H	Special Contract Requirements						
PART II – Co	ONTRACT CLAUSES						
Section I	Contract Clauses						
PART III – L ATTACHME	IST OF DOCUMENTS, EXHIBITS AND OTHER ENTS						
Section J	List of Attachments						
	Click here for bid package exhibits to download						
PART IV – R	PEPRESENTATIONS AND INSTRUCTIONS						
Section K	Representations, Certifications and Other Statements of Offerors or Respondents						

PART I - THE SCHEDULE $\underline{\text{SECTION A}}$ SOLICITATION/CONTRACT FORM

S		ONTRACT/ORDER					UISITION NU			PAGE OF	2
2. CONTRACT NO	0.		3. AWARD/	4. ORDER NUMBER					5. SOLICITATION NUMBER 89243523RCR0		6. SOLICITATION
	23CCR0000		06/27/2023	3		1.					06/09/2023
	R SOLICITATION RMATION CALL:	a. NAME Mary Ro	ark				TELEPHONE 04-734		(No collect calls)		DUE DATE/LOCAL TIME 2023 1100 CD
9. ISSUED BY			CODE	392435	10. THIS	ACQUIS	SITION IS	X UNI	RESTRICTED OR	SET ASIDE:	% FOR:
Strategic Petroleum Reserve Project SPRO U.S. Department of Energy 900 Commerce Road East US 492 New Orleans LA 70123						ALL BUSI BZONE S BINESS RVICE-DI: TERAN-O ALL BUSI	MALL SABLED WNED	(wos	EN-OWNED SMALL BUSINE B) ELIGIBLE UNDER THE V I RIJSINFSS PROGRAM SB	WOMEN-OWN	NAICS: 424720
		12. DISCOUNT TERMS			П.,	T. II.O. O.	ONLED FOR 10		13b. RATING		
MARKED	SS BLOCK IS				13a.	RATED	ORDER UN		14. METHOD OF SOLICE	ITATION	
SEE SCH	HEDULE	CODE			16 ADM	INISTERI	15 CFR 700)		□RFQ □	IFB 🛭	RFP
					-		EDBT			CODE 0	1601
See Sect	tion J, Exh.	ibits E and	G		SPRO 900	Dep) Comm		Road I	Energy East US 492		
17a. CONTRACTO		2NVJ7LSF1	FACILITY CODE	337J0	18a. PAY	MENT W	ILL BE MAD	E BY		CODE	
8111 W Dallas,	Testchester Dr, TX 75225			.P					IOWN IN BLOCK 18a UNLE	SS BLOCK B	ELOW
19.	1		20.		1 180	CHECKE	21,	SEE ADDE	23.		24.
00001	Barrels of Strategic Period of Crude oil Form) 300,000 barr 300,000 barr	f Approximate US Produced Petroleum Reperformance (See Section tels at (b) (4) be	d Sour Crueserve: 09/01/20 n J, Exhiboarrel = (b) parrel = (b)	e (3) Millionade Oil for 023 to 09/30 pit A for Of	the /2023		QUANTITY	UNIT	UNIT PRICE	Γ'otal =	amount (b) (4)
25. ACCOUNTIN	NG AND APPROPRIA	TION DATA		, 45 , 10 0 0 0 0 1, 1, 1				26	TOTAL AMARD AMOU	(For Gov	rt. Use Only)
		Se	e Schedule						(b) (4)	5	
27a. SOLICIT 27b. CONTRA	TATION INCORPORA ACT/PURCHASE OR	TES BY REFERENCE DER INCORPORATES	FAR 52.212-1, 52. BY REFERENCE	212-4. FAR 52.212-3 / FAR 52.212-4. FAR 52	AND 52.21 .212-5 IS	12-5 AR ATTACH	E ATTACH	ED. ADD	ENDA	£777	☐ ARE NOT ATTACHED.
29. AWARD OF CONTRACT: SUNOCO OFFI DATED 06/20/2023 YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS: Line Items 1 & 2 308. SIGNATURE OF CONTRACT: SUNOCO OFFI DATED 06/20/2023 YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS: Line Items 1 & 2 318. UNITED STATES OF AMERICA (SIGNATURE BY REPLY OFFI E							OFFER CITATION (BLOCK 5), SET FORTH ns 1 & 2				
30b. NAME AND	TITLE OF SIGNER	(Type or print)	300	DATE SIGNED	31b. N	AME OF	F CONTRA	CTING OF	-05'00' FICER (Type or print)		31c. DATE SIGNED
Harry Ya		l Trader - Cru		6/19/23			. Gele				06/30/2023

19. ITEM NO.	20. SCHEDULE OF SUPPLIE	S/SERVICES			21. QUANTITY	22. UNIT	23 UNIT P		24. AMOUNT
Acc Fun Ent 161 Use	counting Data: nd: 00706 Appr Yea tity: 450204 Object (1327 Project: 00000 e: 0452235 nded: (b) (4)	r: 2022 Class: 2	2 Allottee: 37 25299 Progra	m:					
32a. QUANTITY IN COLUMN 21 HAS									
RECEIVED INS			32c. DATE					IORIZED GO	OVERNMENT REPRESENTATIVE
32e. MAILING ADDRESS OF AUTHO	RIZED GOVERNMENT REPRESE	TATIVE		32f. TELEF	321. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE				
32g.					2g. E-MAIL OF AUTHORIZED GOVERNMENT REPRESENTATIVE			SENTATIVE	
33. SHIP NUMBER	34. VOUCHER NUMBER	35. AMOUNT VERIFIED 36. PA			ENT	37. CHECK NUMBER			37. CHECK NUMBER
PARTIAL FINAL			СОМ	PLETE		PARTIAL [FINAL	*-	
38. S/R ACCOUNT NUMBER 39. S/R VOUCHER NUMBER 40. PAID BY									
41a. I CERTIFY THIS ACCOUNT IS O	L CORRECT AND PROPER FOR PAY	MENT		42a. RE	CEIVED BY	(Print,)		
41b. SIGNATURE AND TITLE OF CERTIFYING OFFICER 41c. DATE					CEIVED AT	(Loca	tion)		
	42c. DA	42c. DATE REC'D (YY/MM/DD) 42d. TOTAL CONTAINERS							

SPR Crude Oil Purchase											
This contract is entered into by and between the United States of America, hereinafter called the "Government," represented by the Contracting Officer executing this contract and the Contractor below identified. The Contractor agrees to make available the Crude Oil to the Government SPR Site(s) in the volume amount identified below and the Government agrees to make payment in accordance with the terms and conditions of this contract.											
Line Item	SPR TOTAL CRUDE OIL Contract Price Contracted Per barrel				API Gravity	SULFUF	₹% MASS	DELIVERY MOI	DE** LC	OCATION***	
l	ВН	300,000	Domes	tic Sour	(b) (4)	33.6	1.3	73%	P/L	Nederla	nd Terminal (BH)
2	BH	300,000	Domes	tic Sour	(b) (4)	33 6	1.3	73%	P/L	Nederlar	nd Terminal (BH)
3											
4											
5		4	\ (4)								
Total Contract	value shall not	exceed\$	(4)								
Accounting & A	Appropriation D	ata:	Requisit	ion No.	23CR00	0238					
EXECUTION BY	CONTRACTOR							EXECUTION BY GOVERNMENT			
DATE (Day, Month, Year) 6/19/2023							UNITED STATES OF AMERICA Digitally signed by KELLY GELE 06/30/202				
NAME OF CON	TRACTOR Suno	co Partners Ma	rketing & Tem	inals L.P.				GFI F Date: 2023.06.30			
ADDRESS (Stree	et, City, State &	Zip Code) (Type	or Print)					09:02:16 -05'00'			
8111 Westchester Dr, Suite 600 Dallas, TX 75225											
INTERNET ADD	RESS		,					Kelly M. Gele'			
www.energytransfer.com							Contracting Officer				
SIGNATURE AND TITLE OF PERSON AUTHORIZED TO							U. S. Departmei	nt of Energy			
SIGN THIS CONTRACT (Type or print/hame and title under						Acquisition and	Sales Division		1		
Harry Yates, Principal Trader - Crude Oil							Strategic Petrol	eum Reserve			

PART I - THE SCHEDULE <u>SECTION B</u>

SUPPLIES OR SERVICES AND PRICES/COSTS

PART I – THE SCHEDULE

SECTION B

SUPPLIES OR SERVICES AND PRICES/COSTS

TABLE OF CONTENTS

		<u>PAGE</u>
B.1	INTRODUCTION	B-1
B.2	DESCRIPTION	B-2
B.3	DEFINITIONS	B-3
B.4	DETERMINATION OF RESPONSIBILITY	B-4
B.5	PRICING INFORMATION	B-4
B.6	RECEIPT OF CRUDE OIL AT THE DOE SITE	B-5
B.7	CLOSE-OUT RECONCILIATION	B-6
B.8	ADJUSTMENT FOR CRUDE OIL QUALITY DIFFERENTIAL	B-6
B.9	REQUEST(S) FOR SUBSTITUTION OF CRUDE OIL TYPES FOR DELIVERY TO SPR	B-9

SECTION B

SUPPLIES OR SERVICES AND PRICES/COSTS

B.1 INTRODUCTION

- a. The Department of Energy (DOE), Strategic Petroleum Reserve Project Management Office (SPRPMO) is soliciting to purchase approximately 3,000,000 barrels of sour Crude Oil **produced in the United States** to be delivered to Big Hill SPR site. Offers will be accepted on a competitive basis. Offerors will be mandated to provide only Crude Oil produced in the United States for fulfillment purposes.
- b. Offerors, which include regular sellers or distributors of crude oil, must certify (*see* Section K.3 OFFEROR CERTIFICATION) that all Crude Oil shipments received by the SPR pursuant to this solicitation (i)will be sourced from U.S. production, (ii) and adhere to the quality specifications pursuant to Section J, Exhibit C1.
- The U.S. produced Crude Oil offered for sale to the DOE shall meet the c. specifications in Section J, Exhibit C1. Acceptance of any Crude Oil offered for delivery will be subject to the Contracting Officer's approval. Gravity and sulfur differentials will be used to determine economic quality adjustments for any Crude Oil delivered which varies from the quality specifications of the Crude Oil contracted. The Offeror is required to supply: 1) a completed Sour Quality Statement Section J, Exhibit C1.1 of U.S. produced Crude Oil offered at time of bid as identified on the Offer Form A. If the Sour Quality Statement is not submitted with the bid package, then the bid package may be considered incomplete. An applicable assay which supports data Offerors supply in Sour Quality Statement Section J, Exhibit C1.1, must be submitted to the SPR pursuant to section B.6(c) prior to delivery of awarded Crude Oil Type. Also, for offered crudes which consist of blended market crude streams, tank blend schedule with associated test results, including test results for Stability ASTM D4740, will be submitted at the same time with associated assay pursuant to section B.6(c). The SPR seeks to store US produced crude oil with the widest range of application in the domestic market. To preserve SPR cavern homogeneity and maintain overall integrity of its respective crude streams, only crude oils of similar composition are commingled in storage. Due to natural geothermic heating, crude oils that demonstrate high bubble point pressures (BPP) and high gas-oil ratios (GOR) produce

increased vapor pressure at standard cavern storage temperatures. High BPP-GOR oils have the potential to impact the existing SPR oil inventory, increasing levels of light end gases (C₁-C₃) and greatly restricting immediate deliverability which is the critical mission of the SPR. Light ends may not be immediately observed through analysis at ambient temperatures, but are entrained in certain crude types and released during underground storage. Lighter ends, Methane, Ethane and Propane are the single largest contributor to vapor pressure increase. Crude oils displaying C₁-C₃ volume percent outside of the required specifications and determined by the allowed methods listed in Exhibit C-1, will be considered outside of the SPR's acceptance criteria and deemed incompatible with existing SPR stocks. Blending heavier crudes with light end crudes may cause separation of the blend at higher temperature, thus rendering the stream undeliverable. SPR reserves the right to reject any crude oil in order to ensure the quality of the crude oil received, stored, and maintained within the SPR

- d. The minimum offer quantity is 300,000 barrels with a maximum awarded contract quantity of 3,000,000 barrels per offer line item. An Offeror may submit multiple offers, but total award(s) to any one Offeror will not exceed 3,000,000 barrels.
- e. Crude Oil delivery period to the Big Hill SPR site will be September 1, 2023, through September 30, 2023. Requests for early deliveries will be accommodated to the maximum extent possible on a best efforts basis, terms subject to mutual agreement.

B.2 DESCRIPTION

Delivery of the Crude Oil to the Government will be made to the Big Hill SPR site, subject to scheduling and meeting quality specs in Section J, Exhibit C-1.1.

B.3 DEFINITIONS

As used throughout this solicitation, the following terms shall have the meaning set forth below:

- a. "Government," unless otherwise indicated in the text, means the United States Government.
- b. "Strategic Petroleum Reserve" (SPR) means that DOE program established by Title I, Part B, of the Energy Policy and Conservation Act, 42 U.S.C. Section 6201, et seq.

- c. "Contracting Officer" means a person with the authority to enter into, administer, and/or terminate contracts and make related determinations and findings on behalf of the Government.
- d. "DOE" means the U.S. Department of Energy.
- e. "Contractor" means the party contracting to perform all work to be done in pursuance of this contract.
- f. "Offeror" is an entity that submits an offer pursuant to this solicitation.
- g. "SPRPMO" means the Strategic Petroleum Reserve Project Management Office.
- h. "API" means the American Petroleum Institute.
- i. "Barrel" means 42 U.S. gallons or 231 cubic inches per gallon corrected to 60 degrees Fahrenheit.
- j. "Crude Oil" means a mixture of hydrocarbons that existed in the liquid phase in natural underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities and is marketed or used as such. This product must be produced in the United States.
- k. "Affiliate" means associated business concerns or individuals if, directly or indirectly, (1) either one controls or can control the other, or (2) a third-party controls or can control both.
- 1. "FFPOCOL" means Fluor Federal Petroleum Operations Crude Oil Logistics group. Fluor Federal Petroleum Operations (FFPO) is the Management and Operating Contractor for the SPR.
- m. "DOE M&O" means Department of Energy's Management and Operating Contractor, FFPO.
- n. "Static tank" Crude Oil tankage that is dedicated to a cargo destined for delivery to/from the SPR. This tank will not have crude being pumped into it (active) from a source while deliveries are pumping out of it and into the SPR.

B.4. DETERMINATION OF RESPONSIBILITY

Upon request, Offeror(s) shall furnish sufficient information for the Contracting Officer to make a determination of responsibility. At a minimum, Offerors shall furnish enough data for the Contracting Officer to determine adequate financial capability.

B.5 PRICING INFORMATION

- a. The contract line item fixed per barrel price(s) will be determined by the average (to the \$0.001) of daily settlements for the NYMEX WTI (New York Mercantile Exchange West Texas Intermediate) delivery month contract, adjusted for Argus Mars weighted average Month 1 Houston close for sour Crude Oil, for the three trading days commencing with day of notice of award, plus the corresponding monthly "Δ" value for each successful line item offer. The final contract sum value is the per barrel price(s) multiplied by the corresponding award quantity for each line-item award as determined on the fourth trading day after notice of award.
- b. A maximum contract value will be determined at the time of award notification based on the average of NYMEX WTI September delivery month, adjusted for Argus Mars weighted average Month 1 Houston close, daily settlement for the three trading days prior to date set for the receipt of offers, plus the successful offer line item "Δ" value multiplied by the awarded quantity for each line item, subject to adjustment based on market conditions and available Government funding.
- c. Contracted fixed per barrel prices for each line item as determined in B.5.a above shall remain effective for deliveries outside of the contracted month. DOE retains the right to decline deliveries outside of the contracted month; unless delays are attributable to DOE.

B.6 RECEIPT OF CRUDE OIL AT THE DOE SITE

- a. Maximum receipt capability of Crude Oil at the DOE SPR site Big Hill is 225,000 barrels per day
- b. All applicable costs associated with the transportation of the Crude Oil to the DOE will be absorbed by the Contractor, to include but not be limited to, tariffs, marine shipment, pipeline shipment, harbor, Oil Spill Liability Trust Fund taxes, Super Fund taxes, and environmental fees (including Texas Coastal protection fees), Terminal and tankage charges. Any incurred cost(s) to DOE will be subject to rebill to Contractor.

- Within fifteen (15) days before delivery period commences, the Contractor c. shall submit a comprehensive delivery schedule for the DOE Contracting Officer's approval providing the volume of Crude Oil to be delivered to the Big Hill SPR site. Thirty (30) days prior to the start of the delivery month, Contractor shall submit the most recent corresponding comprehensive Crude Oil assay(s) that are supported by the Sour Quality Statement Section J, Exhibit C-1.1, as well as the tank blend schedule and applicable Stability test referenced in B.1(c). The delivery schedule may allow for economic delivery-size cargoes not less than 250,000 barrels for vessels and commercial pipeline cargo shipments not less than 300,000 barrels per cargo. The DOE must approve subsequent changes to the original schedule. Contractors are also cautioned that gauging and or testing of all incoming U.S. Produced Crude Oil to determine SPR compatibility as noted in Section J Exhibit C-1 will require the storage tank to be static. This should be a consideration of all Offerors when investigating terminals/pipelines, and when submitting schedules as noted in B.6(c).
- d. The availability of receipt capacity and delivery periods for Crude Oil at the DOE Big Hill site is as follows:

	<u>Volume</u>	Delivery
Sour	(Million	Period
	Barrels)	
		9/1/2023 —
Big Hill	3.0	9/30/2023

e. While the SPR can receive the site delivery volume as stated in B.6 (a), Offerors are cautioned that, due to commercial volumes at the terminals/pipelines, delivery time frames may be restricted. Offerors are responsible for ensuring that deliveries to the SPR can be accommodated through the applicable commercial terminals/pipelines. SPR will not be providing tankage at connection facilities.

B.7 <u>CLOSE-OUT RECONCILIATION</u>

a. Prior to the last scheduled cargo delivery, the DOE and Contractor shall use the most current available information in reconciling and determining the final delivery quantity to the Government. The Contractor shall then utilize best efforts in delivering the estimated agreed upon quantity to the Government within a +/- 5 percent variance of the total contractor volume.

- Any variance is expected to be a condition of loading and not an opportunity to over or short the required contractual volume.
- b. The Government shall make payment to the Contractor based on the per barrel price as awarded.

B.8 ADJUSTMENT FOR CRUDE OIL QUALITY DIFFERENTIAL

- a. A quality differential shall be computed for each cargo of U.S. produced Crude Oil delivered to the DOE as compared to the U.S. produced Sour Quality Statement Section J, Exhibit C-1.1 submitted with the awarded bid as listed in the Contractor's award or approved substitution, see section B.9.
- b. Laboratory tests for API Gravity and Sulfur mass percent, in accordance with tests methods listed in Exhibit C-1, shall be taken when custody of the U.S. produced Crude Oil is transferred to the DOE.
 - The quality differential adjustments for the U.S. produced Crude Oil delivered by the Contractor to the DOE will apply in those instances wherein the quality of the U.S. produced Crude Oil being delivered to the Government is above or below that of the U.S. produced Crude Oil assay(s) submitted with the awarded bid as listed in the Contractor's award or approved substitution, see section B.9.
- c. The allowable variations from the contracted quality are as follows:

Quality	
Characteristics	Sour
API° Gravity	+/- 0.5
Sulfur - Mass, %	+/- 0.10

- d. Monetary adjustments will be used to settle the quality differentials on U.S. produced Crude Oil delivered to the SPR sites based on the following rates:
 - (1) API Gravity (Sour): Quality price adjustments will be applied to the amount of variation by which the API gravity of the U.S. produced Crude Oil delivered differs by more than plus or minus five-tenths of one degree API (+/-0.5° API) from the API gravity of U.S. produced Sour Quality Statement Section J, Exhibit C-1.1 submitted with the awarded bid as listed in the Contractor's award or approved substitution, see section B.9. Adjustment for U.S. produced Crude Oil

will be in accordance with the GravCap table (Exhibit C.2). This will be on a per cargo basis.

Sulfur (Sour): Quality price adjustments will be applied to the amount of variation by which the Sulfur mass percent of the U.S. produced Crude Oil delivered differs by more than plus or minus one-tenth of one percent of total Sulfur (+/- 0.10%) from the total Sulfur of U.S. produced Sour Quality Statement – Section J, Exhibit C-1.1 submitted with the awarded bid as listed in the Contractor's award or approved substitution, see section B.9. Adjustment for U.S. produced Crude Oil will be in accordance with the GravCap table (Exhibit C.2). This will be on a per cargo basis.

The quality adjustment owed to the either the SPR or Contractor shall be paid in U.S. Dollars and adhere to all conditions of payment as noted in section G.2.

- e. There is a limit of 0.1% freewater on delivery to the SPR as measured either by contractor's shore tank or on the vessel prior to discharge into tanks designated for DOE receipts. The inspector's gauges, witnessed by the DOE representative, either on the vessel at the dock facility or terminal shore tank, will be the method used to determine the final freewater barrel amount. This clause is effective in conjunction with the Water and Sediment [Vol.%] maximum limit of 1.0% as stated in Exhibit C-1; e.g., a 300,000-barrel U.S. produced Crude Oil delivery to the SPR is limited to 1.0% S&W (3,000 barrels), of which a maximum of 0.1% (300 barrels) can be freewater. Contractor is responsible for all costs associated with removal of excess freewater. Exceeding the freewater limitations specified herein will result in the cargo being rejected.
- f. If the U.S. produced Crude Oil being delivered to the SPR is outside the contractual limits and is determined to be unacceptable, the Government reserves the right to return the delivered Crude Oil, at the contractor's expense, to the vessel for marine receipts or to the Crude Oil tankage for pipeline receipts.

B.9 REQUEST(S) FOR SUBSTITUTION OF CRUDE OIL TYPES FOR DELIVERY TO SPR

After award, if the contractor requests to offer a U.S. produced Crude Oil substitution for delivery which is not in its contract, the Government will evaluate the substitution request against operational constraints. If there is no hindrance to

SPR operations and the Crude Oil substitute is expected to meet the specifications listed in Section J, Exhibit C-1, it will be accepted with no additional cost to the Government. This evaluation will be done on a case-by-case basis for each substituted crude cargo tendered for delivery and the Crude Oil will not be added automatically to the basket of contracted Crude Oils (or single crude) in the contract for future deliveries. For all requests, there will be an administrative cost of \$3,500* to process the request. The substitution request must be in the form of a firm request and no "hypothetical" request for crude substitution will be considered.

In addition, any approved substituted volume for a specific monthly delivery period shall be subject to an agreed to premium of a minimum of 90% of that volume for that period.

*The Administrative charge of \$3,500 will be applied to each crude type substitution request. All Administrative charges for substitution requests, whether requests were accepted or not, will be included in the contract final reconciliation calculations.

PART I - THE SCHEDULE <u>SECTION C</u>

DESCRIPTION/SPECIFICATIONS/STATEMENT OF WORK

PART I - THE SCHEDULE SECTION C

DESCRIPTION/SPECIFICATIONS/STATEMENT OF WORK

		<u>PAGE</u>
C.1	SCOPE OF WORK	C-1

SECTION C

DESCRIPTION/SPECIFICATIONS/STATEMENT OF WORK

C.1 SCOPE OF WORK

Contractors shall deliver to the Big Hill SPR site up to three million barrels of U.S. produced sour Crude Oil during the period of September 1, 2023 through September 30, 2023. Crude Oil delivered shall comply with the SPR specifications as specified in Section J, Exhibit C-1. All costs associated with the delivery of U.S. produced sour Crude Oil to the SPR site shall be at the Contractor's expense. Scheduling of deliveries shall be in accordance with Section F of this contract.

PART I - THE SCHEDULE SECTION D PACKAGING AND MARKING

SECTION D

PACKAGING AND MARKING

RESERVED

PART I - THE SCHEDULE <u>SECTION E</u>

INSPECTION AND ACCEPTANCE

PART I – THE SCHEDULE

SECTION E

INSPECTION AND ACCEPTANCE

TABLE OF CONTENTS

		<u>PAGE</u>
E.1	CUSTODY TRANSFER MEASUREMENTS FOR DELIVERY OF CRUDE OIL TO DOE	E-1
E.2	CRUDE OIL QUALITY DETERMINATION	E-4
E.3	CRUDE OIL QUANTITY DETERMINATION	E-5

SECTION E

INSPECTION AND ACCEPTANCE

E.1 <u>CUSTODY TRANSFER MEASUREMENTS FOR DELIVERY OF CRUDE OIL</u> TO DOE

Custody transfer measurements will be in accordance with established API standards and will be performed and or witnessed by a U.S. Government representative. The Contractor may witness the measurement and testing of purchased oil for its account and/or may provide, at Contractor's expense, a Contractor's inspector to witness the measurement and testing process. The custody transfer measurements of the purchased oil to be delivered by the Contractor to the DOE facilities will be based on the following delivery locations:

a. Nederland/Sun to Big Hill

Custody transfer quantity and quality measurements will be the DOE meter skid and inline sampler located in Sun Marine Terminal. Secondary measurement for quantity will be on the Sun shore tank and quality based on manual grab samples taken at the Sun/DOE inline sampler. The API Gravity, Sediment and Water, and Sulfur content will be performed by the Government contracted third party laboratory and witnessed by the Government contracted third party inspector. Contractor shall have the right to have a representative present to witness all sampling, measurements and testing analysis. The Government contracted third party inspection company will witness all measurement and testing and perform testing. The Contractor is responsible for terminal throughput charges for oil deliveries performed under these conditions.

b. Phillips 66 at Beaumont to Big Hill

Custody transfer quantity and quality measurements will be the Phillips 66 delivery shore tank gauges and tank composite sample for deliveries into the Big Hill pipeline. Big Hill meters and in-line sampler. Secondary custody transfer quantity and quality measurements will be the Big Hill meters and in-line sampler. In the event neither of these are available, stakeholders will mutually agree on measurement location of quantity and quality. The API Gravity, Sediment and Water, and Sulfur content will be performed by the Government contracted third party inspector. Contractor shall have the right to have a representative present to witness all sampling, measurements, and testing analysis. The Government contracted third party

inspection company will witness all measurement and testing and perform testing. The Contractor is responsible for terminal throughput charges for oil deliveries performed under these conditions. Contractors will be invoiced an additional \$0.13 per barrel throughput for all crude oil that passes through the P66 Beaumont Terminal Connection Point.

E.2 CRUDE OIL QUALITY DETERMINATION

- a. Load port origin vessel or tanks will need to be sampled and tested by the government inspector prior to Discharge at the Sites for U.S. produced sour Crude Oil receipts. More detailed information will be provided through the Nomination form. A disport sample will be taken in order to confirm crude oil quality from the load port.
- b. The quality of the Crude Oil that is delivered by the Contractor to the DOE will be determined from samples taken, in order of preference, (1) from a representative sample collected by an automatic sampler whose performance has been proven in accordance with the API Manual of Petroleum Measurement Standards, Chapter 8 Section 2, Automatic Sampling of Petroleum and Petroleum Products (ASTM D4177), latest edition; or (2) from the Contractor's tankage in accordance with API Manual of Petroleum Measurement Standards, Chapter 8 Section 1, Manual Sampling of Petroleum and Petroleum Products (ASTM International (ASTM) D4057), latest edition; or (3) from a representative vessel composite sample obtained in accordance with the API Manual of Petroleum Measurement Standards Chapter 17 Marine Measurement, Section 2 Measurement of Cargoes On Board Tank Vessels. Preference will be given to samples collected by means of an automatic sampler when such a system is available and operational.

All methods above shall be in accordance with the latest API/ASTM standards and methods. If the measurements are determined by the Government contracted 3rd inspection company to be inaccurate or not to represent the volume delivered by the Contractor, the subsequent order of preference method, as stated above, shall apply.

- c. If the Crude Oil tendered for delivery to the DOE does not meet the Crude Oil specifications as provided in Section J, Exhibit C (Paragraph B.8(d) may be applicable), the Government reserves the right to refuse the acceptance of the delivery.
- d. The custody transfer quality/quantity oil analysis shall be performed by the Government contracted third party inspection company lab as described in E.1 and shall be documented as the official measurements of record. The

Contractor may request a representative portion of the custody transfer sample for their internal purposes, but any varying analysis results obtained by the Contractor shall not be binding on the Government nor override the Government's official measurements of record. The Contractor or his representative may, at its option, arrange to witness and verify testing simultaneously with the Government contracted third party inspection company's lab. Such services, however, will be for the account of the Contractor. Should the Contractor opt not to witness the testing, then the Government findings will be binding on the Contractor.

e. For pipeline deliveries of Crude Oil to the SPR storage site, the Contractor shall ensure that the commercial pipeline carriers provide Government contracted third party inspection company access to the pipeline facilities for the obtaining of Crude Oil samples.

NOTE: Any additional costs (including overtime) charged by the pipeline carrier which are directly associated with the Government sampling requirement shall be the responsibility of the Contractor.

E.3 CRUDE OIL QUANTITY DETERMINATION

- The quantity of the Crude Oil that is delivered by the Contractor to the DOE a. will be determined, in order of preference, (1) by delivery meter in accordance with the API Manual of Petroleum Measurement Standards, Chapters 5 – Metering Section 3 – Measurement of Liquid Hydrocarbons by Turbine Meters; or (2) by opening and closing tank gauges (with adjustment for opening and closing free water and Sediment and Water tests as determined from shore tank samples; or (3) by vessel ullage measurements with qualified VEF in accordance with API Manual of Petroleum Measurement Standards Chapter 17 – Marine Measurement. All volumetric measurements will be corrected to net standard volume in barrels at 60°F, using the API Manual of Petroleum Measurement Standards, Chapter 11.1, Volume 1, Volume Correction Factors (ASTM D1250) (IP 200); Table 5A-Generalized Crude Oils, Correction of Observed API Gravity to API Gravity at 60°F; Table 6A-Generalized Crude Oils, Correction of Volume to 60°F Against API Gravity at 60°F, latest edition, and by deducting the tank's free water, and the entrained Sediment and Water as determined by the testing of composite all levels samples taken from the delivery tanks.
- b. The quantity measurements shall be performed and certified by the Government's responsible party for delivery operations and witnessed by the Government contracted third party inspection company at the delivery point. The Contractor may, at its option, have representatives present at the

gauging/metering, sampling, and testing. Should the Contractor arrange for additional inspection or testing services, such services will be for the account of the Contractor, and any results obtained by the Contractor shall not be binding on the Government. Should the Contractor not arrange for additional services, then the Government's quantity determination shall be binding on the Contractor.

PART I - THE SCHEDULE <u>SECTION F</u>

DELIVERIES OR PERFORMANCE

<u>PART I – THE SCHEDULE</u>

SECTION F

DELIVERIES OR PERFORMANCE

TABLE OF CONTENTS

		<u>PAGE</u>
F.1	SCHEDULING OF CRUDE OIL MOVEMENTS	F-1
F.2	DELIVERY AND RECEIPT DOCUMENTATION OF CRUDE OIL	F-3
F.3	PERIOD OF PERFORMANCE	F-4

SECTION F

DELIVERIES OR PERFORMANCE

F.1 SCHEDULING OF CRUDE OIL MOVEMENTS

- a. For all deliveries for the month of September, the Contractor shall nominate a delivery program to the DOE not later than August 15, 2023. The Government will respond to the Contractor not later than 5 business days of submittal, confirming the schedule as originally submitted or proposing alterations. The Contractor shall confirm nominations with the DOE via email using the form included in Section J, Exhibit H.
- b. For marine deliveries, the Contractor shall make necessary arrangements with the commercial terminals connected to the DOE. Delivery program nominations received by DOE subsequent to the required time period or those altered as a result of a contract modification will be handled by DOE on a best-efforts basis. Requests for contract modifications will be evaluated after scheduling of original awards. The Contractor shall be deemed to have agreed to such alterations unless the Contractor requests the Government to reconsider its request within two business days of notification of delivery range reduction. The Government will use its best efforts to accommodate such requests, but its decision following any reconsideration shall be final and binding.
- c. For pipeline deliveries, the Contractor shall make necessary arrangements with the commercial pipelines connected to the DOE or its interconnecting pipelines. Nomination information regarding these deliveries will be provided to the DOE not later than five days prior to the month in which deliveries will be made. Delivery program nominations received by DOE subsequent to the required time period or those altered as a result of a contract modification will be handled by DOE on a best-efforts basis. Requests for contract modifications will be evaluated after scheduling of original awards. The Contractor shall be deemed to have agreed to such alterations unless the Contractor requests the Government to reconsider its request within two business days of notification of delivery range reduction. The Government will use its best efforts to accommodate such requests, but its decision following any reconsideration shall be final and binding.
- d. The Contractor shall be responsible for meeting all delivery requirements imposed by the commercial facilities, including complying with the rules,

regulations and procedures contained in applicable port/terminal manuals, pipeline tariffs, or other applicable documents.

e. RESERVED.

- f. Whenever an inspector and/or loss control representative is appointed by the Contractor to witness the delivery operation (gauging, sampling, testing, etc.), written notification shall be provided to the DOE, no later than 72 hours prior to the scheduled date of each applicable cargo delivery to the DOE.
- g. Absence of the name(s) of a Contractor's inspector and/or representative on the delivery documentation constitutes acceptance by the Contractor of the delivery quantity and quality as determined by the DOE and/or its representative(s).
- h. The Contractor is solely responsible for making the necessary arrangements with terminals and pipeline carriers, including tankage, to achieve any minimum rate/quantity required by connecting commercial facilities to ensure Crude Oil deliveries are made to the Big Hill SPR site. Contractors are also cautioned that gauging and or testing of all incoming Crude Oil to determine SPR compatibility as noted in Section J Exhibit C-1 will require the tank to be static. This should be a consideration of all Offerors when investigating terminals/pipelines and when submitting schedules as noted in B.6(c).
- i. Because this is considered a domestic move, the Jones Act, 46 U.S. C. § 55102 Transportation of Merchandise, is the determinative maritime transportation law. See Exhibit F.
- j. RESERVED.
- k. Due to varying conditions of vessel delivery and shipping or pipeline transmission, the quantity actually delivered may vary by +/-5 percent for each shipment. However, in accordance with Section B.6 and B.7, the Contractor shall engage sufficient transportation capacity during the month's scheduled deliveries in order to ensure that the total contracted quantity will be delivered, without exceeding the agreed upon quantity.

F.2 DELIVERY AND RECEIPT DOCUMENTATION OF CRUDE OIL

The quantity and quality determination of the Crude Oil delivered by the Contractor shall be documented on the Material Inspection and Receiving Report (DD Form 250 for pipeline and vessel receipts (DD250-1), see Section J, Exhibit

D for a sample of the form. Copies of the completed DD Form 250, with applicable supporting documentation (i.e., metering or tank gauging tickets and appropriate calculation worksheets), will be furnished to the Contractor and/or the Contractor's authorized representative after completion of delivery for electronic signature agreeing to the quantity and quality of crude delivered. Marine Bills of Lading or Pipeline Statements identifying crude type shipped shall also be provided by the contractor.

F.3 PERIOD OF PERFORMANCE

The window for Crude Oil deliveries to the Big Hill SPR site is September 1 through September 30, 2023. Requests for early deliveries will be accommodated to the maximum extent possible on a best efforts basis, terms subject to mutual agreement. Preference for delivery ranges will be given to those Contractors who offer the best value to the Government, in descending order. Nominations received subsequent to due date (reference section F.1.a) will negate the order of preference and will be scheduled on available basis. All deliveries must be completed on or before September 30, 2023.

PART I - THE SCHEDULE <u>SECTION G</u>

CONTRACT ADMINISTRATION DATA

PART I – THE SCHEDULE

SECTION G

CONTRACT ADMINISTRATION DATA

TABLE OF CONTENTS

		<u>PAGE</u>
G.1	DOE SPR CORRESPONDENCE PROCEDURES	G-1
G.2	BILLING INSTRUCTIONS	G-2

SECTION G

CONTRACT ADMINISTRATION DATA

G.1 DOE SPR CORRESPONDENCE PROCEDURES

To promote timely and effective administration, correspondence submitted under this contract shall be subject to the following procedures:

Correspondence from the Contractor shall be submitted to the Contracting Officer, the contract specialist, the Technical Representative (TR), Alternate Technical Representative and FFPOCOL in an electronic format to the email addresses provided below.

a. Contracting Officer's email address is:

Kelly Gele
Kelly.Gele@spr.doe.gov
(504) 734-4343

b. The Contract Specialist's email address is:

Mary Catherine Roark

Mary.Roark@spr.doe.gov

(504) 734-4195

c. The Technical Representative's email address is:

Christopher Roark
Christopher.Roark@spr.doe.gov
(504) 734-4134
(504) 638-8372 cell

Alternate Technical Representative's email address is:

Racheal Baldwin Racheal.Baldwin@spr.doe.gov (504) 734-4238 (504) 273-8758 cell

d. FFPOCOL@spr.doe.gov

G.2 BILLING INSTRUCTIONS

The Contractor must submit vouchers electronically through the Oak Ridge Financial Service Center's (ORFSC) Vendor Inquiry Payment Electronic Reporting System (VIPERS). VIPERS allows vendors to submit vouchers, attach supporting documentation and check the payment status of any voucher submitted to the DOE. Submitting electronically provides benefits to vendors by:

- Reducing the cost of paper and postage.
- Allowing supporting documentation to be attached and routed with the voucher to program and approving officials.
- Immediately interfacing vouchers to DOE's accounting system saving several days of mail and manual processing time.
- Decreasing potential errors caused by manual input.
- Facilitating the prompt payment of vouchers.

To obtain access to and to use VIPERS, please visit the web page at https://vipers.doe.gov.

Detailed instructions on how to enroll and use the system are provided on the web page. Please do not send a paper copy of a voucher that has been submitted electronically.

The DOE will make invoice payments under the terms and conditions specified in the contract by the 30th calendar day after the designated billing office receives a proper invoice from the Contractor. The Government considers payment as being made on the date of an electronic funds transfer (EFT).

A proper invoice must include the following:

Company name
Department of Energy contract number
Invoice number
Delivery date
U.S. produced crude type
Shipped via (pipeline or vessel name)
Terminal location
DD Form 250 (copy)
Quantity (barrels)
Unit price (USD)
Total amount due (USD)

PART I - THE SCHEDULE <u>SECTION H</u>

SPECIAL CONTRACT REQUIREMENTS

$\underline{PART\ I-THE\ SCHEDULE}$

SECTION H

SPECIAL CONTRACT REQUIREMENTS

TABLE OF CONTENTS

		<u>PAGE</u>
H.1	TITLE TO CRUDE OIL	H-1
H.2	NATIONAL AND OPERATIONAL EMERGENCIES	H-1
H.3	FORCE MAJEURE.	H-1

SECTION H

SPECIAL CONTRACT REQUIREMENTS

H.1 TITLE TO CRUDE OIL

- a. Title to the Crude Oil delivered to the SPR will be transferred to the DOE at the custody transfer measurement locations listed in Section E.1.
- b. The DOE shall have the right to reject any Crude Oil which, when tendered for delivery, may be involved in litigation, or the title of which may be in dispute. Also, the DOE may require of the Contractor satisfactory evidence of the Contractor's perfect and unencumbered title or satisfactory indemnity bond. The Contractor warrants and guarantees that it has good title thereto to the Crude Oil being provided to the DOE.

H.2 NATIONAL AND OPERATIONAL EMERGENCIES

Crude Oil deliveries to the DOE may be rescheduled or redirected upon the determination of a national or DOE operational emergency. A negotiated adjustment to the contract will be made as a result of this direction if warranted.

H.3 FORCE MAJEURE

Force Majeure means, except for payment due hereunder, either party thereto shall be relieved from liability for failure to perform hereunder for the duration and to the extent such failure is occasioned by war, riots, insurrections, national healthcare emergencies, fire, explosions, sabotage, strikes, and other labor or industrial disturbances, acts of God or the elements, disruption or breakdown of production or transportation facilities, delays of pipeline carrier in receiving and delivering crude oil tendered, or by any other cause, whether similar or not, reasonably beyond the control of such party. Any such failures to perform shall be remedied with all reasonable dispatch.

PART II – CONTRACT CLAUSES $\underline{\text{SECTION I}}$

CONTRACT CLAUSES

PART 1 – THE SCHEDULE

SECTION I

CONTRACT CLAUSES

Table of Contents

Application of FAR and DEAR Clauses incorporated by reference is explained in FAR 52.252-2.

I.1	FAR 52.204-13	SYSTEM FOR AWARD MANAGEMENT MAINTENANCE (OCT 2018)	By Reference
I.2	FAR 52.204-18	COMMERCIAL AND GOVERNMENT ENTITY CODE MAINTENANCE (AUG 2020)	By Reference
I.3	FAR 52.212-5	CONTRACT TERMS AND CONDITIONS REQUIRED TO IMPLEMENT STATUES OR EXECUTIVE ORDERS – COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES (JUN 2023)	Full Text
I.4	FAR 52.202-1	DEFINITIONS (JUN 2020)	By Reference
I.5	FAR 52.203-3	GRATUITIES (APR 1984)	By Reference
I.6	FAR 52.203-12	LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS (JUN 2020)	By Reference

I.7	FAR 52.203-17	CONTRACTOR EMPLOYEE WHISTLEBLOWER RIGHTS AND REQUIREMENT TO INFORM EMPLOYEES OF WHISTLEBLOWER RIGHTS (JUN 2020)	By Reference
I.8	FAR 52.242-13	BANKRUPTCY (JUL 1995)	By Reference
I.9	DEAR 952.202-1	DEFINITIONS	By Reference
I.10	FAR 52.252-2	CLAUSES INCORPORATED BY REFERENCE (FEB 1998)	Full Text

SECTION I

CONTRACT CLAUSES

I.3 FAR 52.212-5 CONTRACT TERMS AND CONDITIONS REQUIRED TO IMPLEMENT STATUTES OR EXECUTIVE ORDERS—COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES (JUN 2023)

- (a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses, which are incorporated in this contract by reference, to implement provisions of law or Executive orders applicable to acquisitions of commercial products and commercial services:
 - (1) 52.203-19, Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements (JAN 2017) (section 743 of Division E, Title VII, of the Consolidated and Further Continuing Appropriations Act, 2015 (Pub. L. 113-235) and its successor provisions in subsequent appropriations acts (and as extended in continuing resolutions)).
 - (2) 52.204-23, Prohibition on Contracting for Hardware, Software, and Services Developed or Provided by Kaspersky Lab and Other Covered Entities (NOV 2021) (Section 1634 of Pub. L. 115-91).
 - (3) 52.204-25, Prohibition on Contracting for Certain Telecommunications and Video Surveillance Services or Equipment. (NOV 2021) (Section 889(a)(1)(A) of Pub. L. 115-232).
 - (4) 52.209-10, Prohibition on Contracting with Inverted Domestic Corporations (NOV 2015).
 - (5) 52.232-40, Providing Accelerated Payments to Small Business Subcontractors (MAR 2023) (31 U.S.C. 3903 and 10 U.S.C. 3801).
 - (6) 52.233-3, Protest After Award (Aug 1996) (31 U.S.C. 3553).52.233-3, Protest After Award (AUG 1996) (31 U.S.C. 3553).
 - (7) 52.233-4, Applicable Law for Breach of Contract Claim (OCT 2004) (Public Laws 108-77 and 108-78 (19 U.S.C. 3805 note)).
- (b) The Contractor shall comply with the FAR clauses in this paragraph (b) that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of

commercial products and commercial services: (Contracting Officer check as appropriate.)

- [X] (1) 52.203-6, Restrictions on Subcontractor Sales to the Government (JUN 2020), with Alternate I (NOV 2021) (41 U.S.C. 4704 and 10 U.S.C. 4655).
- [] (2) 52.203-13, Contractor Code of Business Ethics and Conduct (NOV 2021) (41 U.S.C. 3509).
- [] (3) 52.203-15, Whistleblower Protections under the American Recovery and Reinvestment Act of 2009 (JUN 2010) (Section 1553 of Pub. L. 111-5). (Applies to contracts funded by the American Recovery and Reinvestment Act of 2009.)
- [X] (4) 52.204-10, Reporting Executive Compensation and First-Tier Subcontract Awards (JUN 2020) (Pub. L. 109-282) (31 U.S.C. 6101 note).
- [](5) (Reserved)
- [] (6) 52.204-14, Service Contract Reporting Requirements (OCT 2016) (Pub. L. 111-117, section 743 of Div. C).
- [] (7) 52.204-15, Service Contract Reporting Requirements for Indefinite-Delivery Contracts (OCT 2016) (Pub. L. 111-117, section 743 of Div. C).
- [X] (8) 52.204-27, Prohibition on a ByteDance Covered Application (Jun 2023) (Section 102 of Division R of Pub. L. 117-328).
- [X] (9) 52.209-6, Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment. (NOV 2021) (31 U.S.C. 6101 note).
- [X] (10) 52.209-9, Updates of Publicly Available Information Regarding Responsibility Matters (OCT 2018) (41 U.S.C. 2313).
- [](11)(Reserved)
- [] (12) 52.219-3, Notice of HUBZone Set-Aside or Sole-Source Award (OCT 2022) (15 U.S.C. 657a).
- [] (13) 52.219-4, Notice of Price Evaluation Preference for HUBZone Small Business Concerns (OCT 2022) (if the offeror elects to waive the preference, it shall so indicate in its offer) (15 U.S.C. 657a).

- [] (14) (Reserved) [] (15)(i) 52.219-6, Notice of Total Small Business Set-Aside (NOV 2020) (15 U.S.C. 644). [] (ii) Alternate I (MAR 2020) of 52.219-6. [] (16)(i) 52.219-7, Notice of Partial Small Business Set-Aside (NOV 2020) (15) U.S.C. 644). [] (ii) Alternate I (MAR 2020) of 52.219-7. [X] (17) 52.219-8, Utilization of Small Business Concerns (OCT 2022) (15 U.S.C. 637(d)(2) and (3)). [] (18)(i) 52.219-9, Small Business Subcontracting Plan (OCT 2022) (15 U.S.C. 637(d)(4)). [] (ii) Alternate I (NOV 2016) of 52.219-9. [] (iii) Alternate II (NOV 2016) of 52.219-9. [] (iv) Alternate III (JUN 2020) of 52.219-9. [] (v) Alternate IV (SEP 2021) of 52.219-9. [] (19)(i) 52.219-13, Notice of Set-Aside of Orders (MAR 2020) (15 U.S.C. 644(r)). [] (ii) Alternate I (MAR 2020) of 52.219-13. [] (20) 52.219-14, Limitations on Subcontracting (OCT 2022) (15 U.S.C. 657s). [] (21) 52.219-16, Liquidated Damages-Subcontracting Plan (SEP 2021) (15 U.S.C. 637(d)(4)(F)(i). [] (22) 52.219-27, Notice of Service-Disabled Veteran-Owned Small Business Set-Aside (OCT 2022) (15 U.S.C. 657f).
- [X] (22)(i) 52.219-28, Post-Award Small Business Program Rerepresentation (MAR 2023) (15 U.S.C. 632(a)(2)).

- [] (ii) Alternate I (MAR 2020) of 52.219-28.
- [] (24) 52.219-29, Notice of Set-Aside for, or Sole-Source Award to, Economically Disadvantaged Women-Owned Small Business (EDWOSB) Concerns (OCT 2022) (15 U.S.C. 637(m)).
- [] (25) 52.219-30, Notice of Set-Aside for, or Sole-Source Award to, Women-Owned Small Business Concerns Eligible Under the Women-Owned Small Business Program (OCT 2022) (15 U.S.C. 637(m)).
- [] (26) 52.219-32, Orders Issued Directly Under Small Business Reserves (MAR 2020) (15 U.S.C. 644(r)).
- [] (27) 52.219-33, Nonmanufacturer Rule (SEP 2021) (15 U.S.C. 657s).
- [X] (28) 52.222-3, Convict Labor (JUN 2003) (E.O. 11755).
- [X] (29) 52.222-19, Child Labor-Cooperation with Authorities and Remedies (DEC 2022) (E.O. 13126).
- [X] (30) 52.222-21, Prohibition of Segregated Facilities (APR 2015).
- [X] (31)(i) 52.222-26, Equal Opportunity (SEP 2016) (E.O. 11246).
 - [] (ii) Alternate I (FEB 1999) of 52.222-26.
- [X] (32)(i) 52.222-35, Equal Opportunity for Veterans (JUN 2020) (38 U.S.C. 4212).
 - [] (ii) Alternate I (JUL 2014) of 52.222-35.
- [X] (33)(i) 52.222-36, Equal Opportunity for Workers with Disabilities (JUN 2020) (29 U.S.C. 793).
 - [] (ii) Alternate I (JUL 2014) of 52.222-36.
- [X] (34) 52.222-37, Employment Reports on Veterans (JUN 2020) (38 U.S.C. 4212).
- [X] (35) 52.222-40, Notification of Employee Rights Under the National Labor Relations Act (DEC 2010) (E.O. 13496).

- [X] (36)(i) 52.222-50, Combating Trafficking in Persons (NOV 2021) (22 U.S.C. chapter 78 and E.O. 13627).
 - [] (ii) Alternate I (MAR 2015) of 52.222-50 (22 U.S.C. chapter 78 and E.O. 13627).
- [] (37) 52.222-54, Employment Eligibility Verification (MAY 2022). (E. O. 12989). (Not applicable to the acquisition of commercially available off-the-shelf items or certain other types of commercial products or commercial services as prescribed in FAR 22.1803.)
- [] (38)(i) 52.223-9, Estimate of Percentage of Recovered Material Content for EPA-Designated Items (MAY 2008) (42 U.S.C. 6962(c)(3)(A)(ii)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
 - [] (ii) Alternate I (MAY 2008) of 52.223-9 (42 U.S.C. 6962(i)(2)(C)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
- [] (39) 52.223-11, Ozone-Depleting Substances and High Global Warming Potential Hydrofluorocarbons (JUN 2016) (E.O. 13693).
- [] (40) 52.223-12, Maintenance, Service, Repair, or Disposal of Refrigeration Equipment and Air Conditioners (JUN 2016) (E.O. 13693).
- [] (41)(i) 52.223-13, Acquisition of EPEAT®-Registered Imaging Equipment (JUN 2014) (E.O.s 13423 and 13514).
 - [] (ii) Alternate I (OCT 2015) of 52.223-13.
- [] (42)(i) 52.223-14, Acquisition of EPEAT®-Registered Televisions (JUN 2014) (E.O.s 13423 and 13514).
 - [] (ii) Alternate I (JUN 2014) of 52.223-14.
- [] (43) 52.223-15, Energy Efficiency in Energy-Consuming Products (MAY 2020) (42 U.S.C. 8259b).
- [] (44)(i) 52.223-16, Acquisition of EPEAT®-Registered Personal Computer Products (OCT 2015) (E.O.s 13423 and 13514).
 - [] (ii) Alternate I (JUN 2014) of 52.223-16.

- [X] (45) 52.223-18, Encouraging Contractor Policies to Ban Text Messaging While Driving (JUN 2020) (E.O. 13513). [] (46) 52.223-20, Aerosols (JUN 2016) (E.O. 13693). [] (47) 52.223-21, Foams (JUN 2016) (E.O. 13693). [] (48)(i) 52.224-3, Privacy Training (JAN 2017) (5 U.S.C. 552a). [] (ii) Alternate I (JAN 2017) of 52.224-3. [] (49)(i) 52.225-1, Buy American-Supplies (OCT 2022) (41 U.S.C. chapter 83). [] (ii) Alternate I (OCT 2022) of 52.225-1. [] (50)(i) 52.225-3, Buy American-Free Trade Agreements-Israeli Trade Act (DEC 2022) (19 U.S.C. 3301 note, 19 U.S.C. 2112 note, 19 U.S.C. 3805 note, 19 U.S.C. 4001 note, 19 U.S.C. chapter 29 (sections 4501-4732), Public Law 103-182, 108-77, 108-78, 108-286, 108-302, 109-53, 109-169, 109-283, 110-138, 112-41, 112-42, and 112-43. [] (ii) Alternate I [Reserved] [] (iii) Alternate II (DEC 2022) of 52.225-3. [] (iv) Alternate III (JAN 2021) of 52.225-3. [] (v) Alternate IV (OCT 2022) of 52.225-3.
- [] (51) 52.225-5, Trade Agreements (DEC 2022) (19 U.S.C. 2501, et seq., 19 U.S.C. 3301 note).
- [X] (52) 52.225-13, Restrictions on Certain Foreign Purchases (FEB 2021) (E.O.'s, proclamations, and statutes administered by the Office of Foreign Assets Control of the Department of the Treasury).
- [] (53) 52.225-26, Contractors Performing Private Security Functions Outside the United States (OCT 2016) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; 10 U.S.C. Subtitle A, Part V, Subpart G Note).
- [] (54) 52.226-4, Notice of Disaster or Emergency Area Set-Aside (NOV 2007) (42 U.S.C. 5150).

- [] (55) 52.226-5, Restrictions on Subcontracting Outside Disaster or Emergency Area (NOV 2007) (42 U.S.C. 5150).
- [] (56) 52.229-12, Tax on Certain Foreign Procurements (FEB 2021).
- [] (57) 52.232-29, Terms for Financing of Purchases of Commercial Products and Commercial Services (NOV 2021) (41 U.S.C. 4505, 10 U.S.C. 3805).
- [] (58) 52.232-30, Installment Payments for Commercial Products and Commercial Services (NOV 2021) (41 U.S.C. 4505, 10 U.S.C. 3805).
- [X] (59) 52.232-33, Payment by Electronic Funds Transfer-System for Award Management (OCT 2018) (31 U.S.C. 3332).
- [] (60) 52.232-34, Payment by Electronic Funds Transfer Other than System for Award Management (JUL 2013) (31 U.S.C. 3332).
- [] (61) 52.232-36, Payment by Third Party (MAY 2014) (31 U.S.C. 3332).
- [] (62) 52.239-1, Privacy or Security Safeguards (AUG 1996) (5 U.S.C. 552a).
- [] (63) 52.242-5, Payments to Small Business Subcontractors (JAN 2017)(15 U.S.C. 637(d)(13)).
- [X] (64)(i) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (NOV 2021) (46 U.S.C. 55305 and 10 U.S.C. 2631).
 - [] (ii) Alternate I (APR 2003) of 52.247-64.
 - [] (iii) Alternate II (NOV 2021) of 52.247-64.
- (c) The Contractor shall comply with the FAR clauses in this paragraph (c), applicable to commercial services, that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial products and commercial services: (Contracting Officer check as appropriate.)
 - [] (1) 52.222-41, Service Contract Labor Standards (AUG 2018) (41 U.S.C. chapter 67).
 - [] (2) 52.222-42, Statement of Equivalent Rates for Federal Hires (MAY 2014) (29 U.S.C. 206 and 41 U.S.C. chapter 67).

- [] (3) 52.222-43, Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (Multiple Year and Option Contracts) (AUG 2018) (29 U.S.C. 206 and 41 U.S.C. chapter 67).

 [] (4) 52.222-44, Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (MAY 2014) (29 U.S.C 206 and 41 U.S.C. chapter 67).

 [] (5) 52.222-51, Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment-Requirements (MAY 2014) (41 U.S.C. chapter 67).

 [] (6) 52.222-53, Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-Requirements (MAY 2014) (41 U.S.C. chapter 67).

 [] (7) 52.222-55, Minimum Wages for Contractor Workers Under Executive Order 14026 (JAN 2022).

 [] (8) 52.222-62, Paid Sick Leave Under Executive Order 13706 (JAN 2022) (E.O. 13706).
- (d) Comptroller General Examination of Record. The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, as defined in FAR 2.101, on the date of award of this contract, and does not contain the clause at 52.215-2, Audit and Records Negotiation.

(JUN 2020) (42 U.S.C. 1792).

[] (9) 52.226-6, Promoting Excess Food Donation to Nonprofit Organizations

- (1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.
- (2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR Subpart 4.7, Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the

- disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.
- (3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.
- (e)(1) Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c), and (d) of this clause, the Contractor is not required to flow down any FAR clause, other than those in this paragraph (e)(1) in a subcontract for commercial products or commercial services. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause-
 - (i) 52.203-13, Contractor Code of Business Ethics and Conduct (NOV 2021) (41 U.S.C. 3509).
 - (ii) 52.203-19, Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements (JAN 2017) (section 743 of Division E, Title VII, of the Consolidated and Further Continuing Appropriations Act, 2015 (Pub. L. 113-235) and its successor provisions in subsequent appropriations acts (and as extended in continuing resolutions)).
 - (iii) 52.204-23, Prohibition on Contracting for Hardware, Software, and Services Developed or Provided by Kaspersky Lab and Other Covered Entities (NOV 2021) (Section 1634 of Pub. L. 115-91).
 - (iv) 52.204-25, Prohibition on Contracting for Certain Telecommunications and Video Surveillance Services or Equipment. (NOV 2021) (Section 889(a)(1)(A) of Pub. L. 115-232).
 - (v) 52.204-27, Prohibition on a ByteDance Covered Application (Jun 2023) (Section 102 of Division R of Pub. L. 117-328).
 - (vi) 52.219-8, Utilization of Small Business Concerns (OCT 2022) (15 U.S.C. 637(d)(2) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds the applicable threshold specified in FAR 19.702(a) on the date of subcontract award, the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

- (vii) 52.222-21, Prohibition of Segregated Facilities (APR 2015).
- (viii) 52.222-26, Equal Opportunity (SEP 2016) (E.O. 11246).
- (ix) 52.222-35, Equal Opportunity for Veterans (JUN 2020) (38 U.S.C. 4212).
- (x) 52.222-36, Equal Opportunity for Workers with Disabilities (JUN 2020) (29 U.S.C. 793).
- (xi) 52.222-37, Employment Reports on Veterans (JUN 2020) (38 U.S.C. 4212).
- (xii) 52.222-40, Notification of Employee Rights Under the National Labor Relations Act (DEC 2010) (E.O. 13496). Flow down required in accordance with paragraph (f) of FAR clause 52.222-40.
- (xiii) 52.222-41, Service Contract Labor Standards (AUG 2018) (41 U.S.C. chapter 67).
- (xiv) [] (A) 52.222-50, Combating Trafficking in Persons (NOV 2021) (22 U.S.C. chapter 78 and E.O. 13627).
 - [] (B) Alternate I (MAR 2015) of 52.222-50 (22 U.S.C. chapter 78 and E.O. 13627).
- (xv) 52.222-51, Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment-Requirements (MAY 2014) (41 U.S.C. chapter 67).
- (xvi) 52.222-53, Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-Requirements (MAY 2014) (41 U.S.C. chapter 67).
- (xvii) 52.222-54, Employment Eligibility Verification (MAY 2022) (E. O. 12989).
- (xviii) 52.222-55, Minimum Wages for Contractor Workers Under Executive Order 14026 (JAN 2022).
- (xix) 52.222-62 Paid Sick Leave Under Executive Order 13706 (JAN 2022) (E.O. 13706).
- (xx)(A) 52.224-3, Privacy Training (JAN 2017) (5 U.S.C. 552a).
 - (B) Alternate I (JAN 2017) of 52.224-3.

(xxi) 52.225-26, Contractors Performing Private Security Functions Outside the United States (OCT 2016) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; 10 U.S.C. Subtitle A, Part V, Subpart G Note).

(xxii) 52.226-6, Promoting Excess Food Donation to Nonprofit Organizations (JUN 2020) (42 U.S.C. 1792). Flow down required in accordance with paragraph (e) of FAR clause 52.226-6.

(xxiii) 52.232-40, Providing Accelerated Payments to Small Business Subcontractors (MAR 2023) (31 U.S.C. 3903 and 10 U.S.C. 3801). Flow down required in accordance with paragraph (c) of 52.232-40.

(xxiv) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (NOV 2021) (46 U.S.C. 55305 and 10 U.S.C. 2631). Flow down required in accordance with paragraph (d) of FAR clause 52.247-64.

(2) While not required, the Contractor may include in its subcontracts for commercial products and commercial services a minimal number of additional clauses necessary to satisfy its contractual obligations.

(End of clause)

I.10 FAR 52.252-2 CLAUSES INCORPORATED BY REFERENCE (FEB 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es):

https://www.acquisition.gov/browse/index/far https://www.acquisition.gov/dears

(End of clause)

PART III – LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS

SECTION J

LIST OF ATTACHMENTS

PART III - LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS <u>SECTION J</u>

TABLE OF CONTENTS

		<u>PAGE</u>
J.A	EXHIBIT A – OFFER FORM	J-1
J.B	EXHIBIT B – CONTRACT FORM	J-3
J.C-1	EXHIBIT C-1 – SPR CRUDE OIL SPECIFICATIONS	J-5
J.C-2	EXHIBIT C-2 – SPR GRAVCAP TABLES FOR QUALITY ADJUSTMENT	J-9
J.D	EXHIBIT D – MATERIAL INSPECTION AND RECEIVING REPORT (DD 250)	J-16
J.E	EXHIBIT E – CRUDE OIL DELIVERY LOCATION INFORMATION	J-20
J.F	EXHIBIT F – JONES ACT	J-32
J.G	EXHIBIT G – DIAGRAM OF DOE FACILITIES	J-37
J.H	EXHIBIT H – SPR NOMINATION FORM	J-41

SECTION J.A

EXHIBIT A

OFFER FORM

RESERVED

SECTION J.B

EXHIBIT B

CONTRACT FORM – INCLUDED IN PART I, "THE SCHEDULE," SECTION A

SECTION J.C-1

EXHIBIT C-1

SPR CRUDE OIL SPECIFICATIONS

EXHIBIT C-1

STRATEGIC PETROLEUM RESERVE CRUDE OIL SPECIFICATIONS ^a

εl

CHARACTERISTIC	SOUR	SWEET	PRIMARY ASTM TEST METHOD ^b
API Gravity [°API]	28.5-45	30-45	D1298 or D5002
Total Sulfur [Mass %], max.	2.50	0.50	D4294
Pour Point [°C], max.	10	10	D97
Salt Content [Mass %], max.	0.050	0.050	D6470
Viscosity			
[cSt @ 15.6°C], max.	32	32	D445
[cSt @ 37.8°C], max.	13	13	
Vapor Pressure			
[VPCR4(100F),psia(KPa)], max.	9 (62.1)	9 (62.1)	D6377
Total Acid Number [mg KOH/g], max.	1.0	1.0	D664, D8045
Water and Sediment [Vol. %], max.	1.0	1.0	D473 and D4006, or D4928
Yields [Vol. %]			D2892 and D5236c
Naphtha [28-191°C]	24-30	21-42	
Distillate [191-327°C]	17-31	19-45	
Gas Oil [327-566°C]	26-38	20-42	
Residuum [>566°C]	10-19	14 max.	
Light Ends [Liquid Vol. %] d, max			
Methane (C ₁)	0.01	0.01	IP344 or ITM 6008
Ethane (C ₂)	0.1	0.1	
Propane (C ₃)	1.0	1.0	

²¹ This revision includes a limitation on light ends content (see Footnote ^d)

^a Marketable crude petroleum suitable for normal refinery processing and free of foreign contaminants or chemicals including, but not limited to, pour point depressants, chlorinated and oxygenated hydrocarbons, and lead

^b Alternate methods may be used if approved by the contracting officer.

^c D 7169 data may be provided in requesting conditional acceptance of a Crude Oil. Distillation data according to D 2892 and D 5236 will still be necessary for final qualification of a Crude Oil's acceptance.

d Light ends content specifications are interim and will be superseded if and when industry standards for light ends evaluation are implemented.

Vapor pressure changed to better reflect current domestic crude standards

- NOTE 1: The Strategic Petroleum Reserve reserves the right to refuse to accept any Crude Oil which meets these specifications but is deemed to be incompatible with existing stocks, or which has the potential for adversely affecting handling.
- NOTE 2: The acceptability of any Crude Oil depends upon any assay typical of current production quality of the stream. Any Crude Oil offered to the Strategic Petroleum Reserve that meets these specifications may be subject to additional testing for acceptance.
- NOTE 3: All Crude Oil shipments received by the SPR are tested to ensure they meet specifications.
- NOTE 4: All Crude Oil shipments received by the SPR pursuant to this solicitation must be sourced from U.S. production.

Sunoco Partners Marketing & Terminals LP Quality Data Contained in the Contract File

EXHIBIT C-1.1

(see table of contents to download this example)

	Sour State	ment of Quality	Data	1 /		
Full name of crude and or defin	e any acronyms:					
Company:						
Date:						
Note:						
			Sour S	pecification		
			Min	Max		Method
	Test Method(s)					of
Product Parameter		Units			Result	Analysis
API Gravity	D1298 or D5002	[°API]	28.5	45		
Total Sulfur	D4294	[Mass %]	0.51	2.50		
Pour Point	D97	[°C]		10		
Salt Content	D6470, D3230	[Mass %]		0.05		
Viscosity @ 15.6°C	D445	[cSt]		32.0		
Viscosity @ 37.8°C	D445	[cSt]		13.0		
Vapor Pressure [VPCR4 (100°F)]	D6377	psia (kPa)		9.0(62.1)		
Vapor Pressure [VPCR 0.2 (100°F)] @900 sec.	D6377	psia (kPa)		Report		
Total Acid Number	D664	[mg KOH/g]		1.00		
Water	D4928, D4006	[Vol. %]		Report		
Sediment	D473	[Vol. %]		Report		
Water/Sediment Combined		[Vol. %]		1.0		
Value						
Asphaltenes	D6560	[Mass%]		6.0%		
Yields [Vol. %]						
Naphtha [28-191°C]	D2892, D5236	[Vol. %]	24	30		
Distillate [191-327°C]	D2892, D5236	[Vol. %]	17	31		
Gas Oil [327-566°C]	D2892, D5236	[Vol. %]	26	38		
Residuum [>566°C]	D2892, D5236	[Vol. %]	10	19		
Light Ends [Liquid Vol. %]						
Methane (C ₁)	IP344, ITM6008, D7900	[Liquid Vol.%]		0.01		
Ethane (C ₂)	IP344, ITM6008, D7900	[Liquid Vol.%]		0.10		
Propane (C3)	IP344, ITM6008, D7900	[Liquid Vol.%]		1.0		
Distillation						
IBP - 75°F	D7169/D7900	LV%[Wt.%]		4.0LV%/[3.0 Wt%]		
IBP - 175°F	D7169/D7900	LV%[Wt.%]		12.5 LV% / 10.0 Wt%		

SECTION J.C-2

EXHIBIT C-2

GravCap Tables for Quality Adjustment

			DIFF. Y PER BBL	3.950	3.980	3.985	4.025	4.040	4.055	4.070	4.085	4.100	4.115	4.130	4.145	4.160	4.175	4.190	4.205	4.220	4.235	4.250	4.265	4.280	4.295	4.310	4.325	4.340	4.355	4.370	4.385
	R	E SYSTEM	API GRAVITY	28.0	28.2	28.3	28.5	28.6	28.7	28.8	28.9	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9
	TABLES OF DIFFERENTIALS FOR USE IN DETERMINING ADJUSTMENTS FOR DIFFERENCE IN GRAVITY OF CRUDE PETROLEUM	WHITE CAP SYSTEM - BONITO PIPE LINE COMPANY - SHIP SHOAL SYSTEM - CAPLINE SYSTEM	DIFF. PER BBL	3.050	3.080	3.085	3.125	3.140	3.155	3.170	3.185	3.200	3.215	3.230	3.245	3.260	3.275	3.290	3.305	3.320	3.335	3.350	3.365	3.380	3.395	3.410	3.425	3.440	3.455	3.470	3.485
GRAVCAP, INC. ADJUSTMENT AUTHORIZATION	RENTIALS FOR USE IN DETERMINING ADJUSTMENT DIFFERENCE IN GRAVITY OF CRUDE PETROLEUM	OMPANY - SHIP SHO,	API GRAVITY	22.0	22.2	22.3	22.5	22.6	22.7	22.8	22.9	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9
GRAVC ADJUSTMENT	DIFFERENTIALS FOR DIFFERENCE I	30NITO PIPE LINE CC	DIFF. PER BBL	2.150	2.180	2.195	2.225	2.240	2.255	2.270	2.285	2.300	2.315	2.330	2.345	2.360	2.375	2.390	2.405	2.420	2.435	2.450	2.465	2.480	2.495	2.510	2.525	2.540	2.555	2.570	2.585
	TABLES OF I	HITE CAP SYSTEM - E	API GRAVITY	16.0	16.2	16.3	16.5	16.6	16.7	16.8	16.9	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9
		M	DIFF. PER BBL	1.250	1.280	1.295	1.325	1.340	1.355	1.370	1.385	1.400	1.415	1.430	1.445	1.460	1.475	1.490	1.505	1.520	1.535	066.1	1.565	1.580	1.595	1.610	1.625	1.640	1.655	1.670	1.685
			API GRAVITY	10.0	10.2	10.3	10.5	10.6	10.7	10.8	10.9	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9

DIFF. PER BBL	4.400	4.430	4.445	4.460	4.475	4.490	4.505	4.520	4.535	4.550	4.565	4.580	4.595	4.610	4.625	4.640	4.655	4.670	4.685	4.700	4.715	4.730	4.745	4.760	4.775	4.790	4.805	4.820	4.835
API GRAVITY	31.0 31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9
DIFF. PER BBL	3.500 3.515	3.530	3.545	3.560	3.575	3.590	3.605	3.620	3.635	3.650	3.665	3.680	3.695	3.710	3.725	3.740	3.755	3.770	3.785	3.800	3.815	3.830	3.845	3.860	3.875	3.890	3.905	3.920	3.935
API GRAVITY	25.0 25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9
DIFF. PER BBL	2.600	2.630	2.645	2.660	2.675	2.690	2.705	2.720	2.735	2.750	2.765	2.780	2.795	2.810	2.825	2.840	2.855	2.870	2.885	2.900	2.915	2.930	2.945	2.960	2.975	2.990	3.005	3.020	3.035
API	19.0	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9
DIFF. PER BBL	1.700	1.730	1.745	1.760	1.775	1.790	1.805	1.820	1.835	1.850	1.865	1.880	1.895	1.910	1.925	1.940	1.955	1.970	1.985	2.000	2.015	2.030	2.045	2.060	2.075	2.090	2.105	2.120	2.135
API GRAVITY	13.0	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9

GRAVCAP, INC. ADJUSTMENT AUTHORIZATION

TABLES OF DIFFERENTIALS FOR USE IN DETERMINING ADJUSTMENTS FOR DIFFERENCE IN GRAVITY OF CRUDE PETROLEUM

WHITE CAP SYSTEM - BONITO PIPE LINE COMPANY - SHIP SHOAL SYSTEM - CAPLINE SYSTEM

DIFF. PER BBL	4.050	4.020	3.990	3.960	3.930	3.900	3.855	3.840	3.810	3.780	3.750	3.720	3.690	3.660	3.630
API GRAVITY	52.0 52.1	52.2 52.3	52.4 52.5	52.6 52.7	52.8 52.9	53.0	53.2	53.4	53.6	53.8	54.0 54.1	54.2 54.3	54.4 54.5	54.6	54.8 54.9
DIFF. PER BBL	4.950 4.935	4.920	4.890	4.860	4.830	4.800	4.755	4.740	4.710	4.680	4.650	4.620	4.590	4.560	4.530 4.515
API GRAVITY	46.0 46.1	46.3	46.4	46.6	46.8	47.0	47.2	47.4	47.6	47.8	48.0	48.2	48.4	48.6	48.8 48.9
DIFF. PER BBL	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100
API GRAVITY	40.0	40.2	40.4	40.6	40.8	41.0	41.2	41.4	41.6	41.8	42.0 42.1	42.2 42.3	42.4	42.6	42.8 42.9
DIFF. PER BBL	4.850	4.880	4.910	4.940	4.970 4.985	5.000	5.000	5.000	5.000	5.000	5.020	5.020	5.020	5.020	5.020 5.020
API GRAVITY	34.0 34.1	34.2 34.3	34.4 34.5	34.6	34.8 34.9	35.0	35.2	35.4 35.5	35.6	35.8 35.9	36.0 36.1	36.2 36.3	36.4	36.6 36.7	36.8 36.9

DIFF. PER BBL	3.600	ITY values	ontinues	.015/bbl.	GRAVITY.																							
API GRAVITY	55.0	For API GRAVITY values	differential continues	to decline 0.015/bbl.	per 0.1° API GRAVITY																							
DIFF. PER BBL	4.500	4.470	4.440	4.425	4.410	4.395	4.380	4.365	4.350	4.335	4.320	4.305	4.290	4.275	4.260	4.245	4.230	4.215	4.200	4.185	4.170	4.155	4.140	4.125	4.110	4.095	4.080	4.065
API GRAVITY	49.0	49.2	49.4	49.5	49.6	49.7	49.8	49.9	50.0	50.1	50.2	50.3	50.4	50.5	50.6	50.7	50.8	50.9	51.0	51.1	51.2	51.3	51.4	51.5	51.6	51.7	51.8	51.9
DIFF. PER BBL	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.100	5.085	5.070	5.055	5.040	5.025	5.010	4.995	4.980	4.965
API GRAVITY	43.0	43.2	43.4	43.5	43.6	43.7	43.8	43.9	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9
DIFF. PER BBL	5.040	5.040	5.040	5.040	5.040	5.040	5.040	5.040	5.060	5.060	5.060	5.060	5.060	5.060	5.060	5.060	5.060	5.060	5.080	5.080	5.080	5.080	5.080	5.080	5.080	5.080	5.080	5.080
API GRAVITY	37.0	37.2	37.4	37.5	37.6	37.7	37.8	37.9	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9

					DIFF.	PER BBL	4.600	4 620	4.630	4.640	4.650	4.660	4.670	4.680	4.690	4.700	4.710	4.720	4.730	4.740	4.750	4.760	4.770	4.780	4.790	4.800	4.810	4.820	4.830	4.840	4.850	4.860	4.870	4.880	4.890
					PERCENT	SULFUR	3.60	3.62	3.63	3.64	3.65	3.66	3.67	3.68	3.69	3.70	3.71	3.72	3.73	3.74	3.75	3.76	3.77	3.78	3.79	3.80	3.81	3.82	3.83	3.84	3.85	3.86	3.87	3.88	3.89
					DIFF.	PER BBL	4.000	4.020	4.030	4.040	4.050	4.060	4.070	4.080	4.090	4.100	4.110	4.120	4.130	4.140	4.150	4.160	4.170	4.180	4.190	4.200	4.210	4.220	4.230	4.240	4.250	4.260	4.270	4.280	4.290
		TS FOR		- BONITO P PE LINE COMPANY - SHIP SHOAL SYSTEM - CAPLINE SYSTEM	PERCENT	SULFUR	3.00	3.02	3.03	3.04	3.05	3.06	3.07	3.08	3.09	3.10	3.11	3.12	3.13	3.14	3.15	3.16	3.17	3.18	3.19	3 20	3 2 1	3 22	3 23	3 24	3 25	3 26	3 27	3 28	3 29
	z	NG ADJUSTMEN	DE PETROLEUM	HOAL SYSTEM - (DIFF.	BBL	3.400	3 420	3.430	3.440	3.450	3.460	3.470	3.480	3.490	3.500	3.510	3.520	3.530	3.540	3.550	3.560	3.570	3.580	3.590	3.600	3.610	3.620	3.630	3.640	3.650	3.660	3.670	3.680	3.690
GRAVCAP, INC.	ADJUSTMENT AUTHORIZATION	SE N DETERMINI	DIFFERENCE IN SULFUR CONTENT FOR CRUDE PETROLEUM	MPANY - SHIP SI	PERCENT	SULFUR	2.40	2.42	2.43	2.44	2.45	2.46	2.47	2.48	2.49	2.50	2.51	2.52	2.53	2.54	2.55	2.56	2.57	2.58	2.59	2.60	2.61	2.62	2.63	2.64	2.65	2.66	2.67	2.68	2.69
GRA	ADJUSTMEN	ENTIALS FOR U	IN SULFUR CO	O P PE LINE CO	DIFF.	PER BBL	2.800	2.820	2.830	2.840	2.850	2.860	2.870	2.880	2.890	2.900	2.910	2.920	2.930	2.940	2.950	2.960	2.970	2.980	2.990	3.000	3.010	3.020	3.030	3.040	3.050	3.060	3.070	3.080	3.090
		TABLES OF DIFFERENTIALS FOR USE IN DETERMINING ADJUSTMENTS FOR	DIFFERENCE		PERCENT	SULFUR	1.80	1.82	1.83	1.84	1.85	1.86	1.87	1.88	1.89	1.90	1.91	1.92	1.93	1.94	1.95	1.96	1.97	1.98	1.99	2.00	2.01	2.02	2.03	2.04	2.05	2.06	2.07	2.08	2.09
		TAI		WHITE CAP SYSTEM	DIFF.	BBL	2.200	2 2 2 0	2.230	2.240	2.250	2.260	2.270	2.280	2.290	2.300	2.310	2.320	2.330	2.340	2.350	2.360	2.370	2.380	2.390	2.400	2.410	2.420	2.430	2.440	2.450	2.460	2.470	2.480	2.490
					PERCENT	SULFUR	1.20	122	123	1.24	1.25	1.26	1.27	1.28	1.29	1.30	1.31	1.32	1.33	1.34	1.35	1.36	1.37	1.38	1.39	1.40	1.41	1.42	1.43	1.44	1.45	1.46	1.47	1.48	1.49
					DIFF.	BBL	1.600	1,620	1.630	1.640	1.650	1.660	1.670	1.680	1.690	1.700	1.710	1.720	1.730	1.740	1.750	1.760	1.770	1.780	1.790	1.800	1.810	1.820	1.830	1.840	1.850	1.860	1.870	1.880	1.890
					PERCENT	SULFUR	0.60	0.62	0.63	0.64	0.65	99:0	0.67	0.68	0.69	0.70	0.71	0.72	0.73	0.74	0.75	0.76	0.77	0.78	0.79	0.80	0.81	0.82	0.83	0.84	0.85	0.86	0.87	0.88	0.89
					DIFF.	188	1.000	1.020	1.030	1.040	1.050	1.060	1.070	1.080	1.090	1.100	1.110	1.120	1.130	1.140	1.150	1.160	1.170	1.180	1.190	1.200	1.210	1.220	1.230	1.240	1.250	1.260	1.270	1.280	1.290
					PERCENT	SULFUR	0.00	0.02	0.03	0.04	0.05	90.0	0.07	0.08	0.09	0.10	0.11	0.12	0.13	0.14	0.15	0.16	0.17	0.18	0.19	0.20	0.21	0.22	0.23	0.24	0.25	0.26	0.27	0.28	0.29

Section J, Page J-12

				ı		ı		ı		ı		ı		ı																	
DIFF.	PER BBL	4.900	4.910	4.920	4.930	4.940	4.950	4.960	4.970	4.980	4.990	2.000		For Sulfur Values	above 4.00%, the	differential continues	to increase 0.01/BBL	per 0.01 Percent	Sulfur												
PERCENT	SULFUR	3.90	3.91	3.92	3.93	3.94	3.95	3.96	3.97	3.98	3.99	4.00		For Sulf	above 4.	differentia	to increase	per 0.01	nS												
DIFF.	PER BBL	4.300	4.310	4.320	4.330	4.340	4.350	4.360	4.370	4.380	4.390	4.400	4.410	4.420	4.430	4.440	4.450	4.460	4.470	4.480	4.490	4.500	4.510	4.520	4.530	4.540	4.550	4.560	4.570	4.580	4.590
PERCENT	SULFUR	3 30	3 31	3 32	3 33	3 34	3 35	3 36	3 37	3 38	3 39	3.40	3.41	3.42	3.43	3.44	3.45	3.46	3.47	3.48	3.49	3 50	3 51	3 52	3 53	3 54	3 55	3 56	3 57	3 58	3 59
DIFF.	88	3.700	3.710	3.720	3.730	3.740	3.750	3.760	3.770	3.780	3.790	3.800	3.810	3.820	3.830	3.840	3.850	3.860	3.870	3.880	3.890	3.900	3.910	3.920	3.930	3.940	3.950	3.960	3.970	3.980	3.990
PERCENT	SULFUR	2.70	2.71	2.72	2.73	2.74	2.75	2.76	2.77	2.78	2.79	2.80	2.81	2.82	2.83	2.84	2.85	2.86	2.87	2.88	2.89	2.90	2.91	2.92	2.93	2.94	2.95	2.96	2.97	2.98	2.99
DIFF.	PER BBL	3.100	3.110	3.120	3.130	3.140	3.150	3.160	3.170	3.180	3.190	3.200	3.210	3.220	3.230	3.240	3.250	3.260	3.270	3.280	3.290	3.300	3.310	3.320	3.330	3.340	3.350	3.360	3.370	3.380	3.390
PERCENT	SULFUR	2.10	2.11	2.12	2.13	2.14	2.15	2.16	2.17	2.18	2.19	2.20	2.21	2.22	2.23	2.24	2.25	2.26	2.27	2.28	2.29	2.30	2.31	2.32	2.33	2.34	2.35	2.36	2.37	2.38	2.39
DIFF.	BBL	2.500	2.510	2.520	2.530	2.540	2.550	2.560	2.570	2.580	2.590	2.600	2.610	2.620	2.630	2.640	2.650	2.660	2.670	2.680	2.690	2.700	2.710	2.720	2.730	2.740	2.750	2.760	2.770	2.780	2.790
PERCENT	SULFUR	1.50	1.51	1.52	1.53	1.54	1.55	1.56	1.57	1.58	1.59	1.60	1.61	1.62	1.63	1.64	1.65	1.66	1.67	1.68	1.69	1.70	1.71	1.72	1.73	1.74	1.75	1.76	1.77	1.78	1.79
DIFF.	BBL	1.900	1.910	1.920	1.930	1.940	1.950	1.960	1.970	1.980	1.990	2.000	2.010	2.020	2.030	2.040	2.050	2.060	2.070	2.080	2.090	2.100	2.110	2.120	2.130	2.140	2.150	2.160	2.170	2.180	2.190
PERCENT	SULFUR	06:0	0.91	0.92	0.93	0.94	0.95	96:0	0.97	0.98	0.99	1.00	1.01	1.02	1.03	1.04	1.05	1.06	1.07	1.08	1.09	1.10	1.11	1.12	1.13	1.14	1.15	1.16	1.17	1.18	1.19
DIFF.	BBL	1.300	1.310	1.320	1.330	1.340	1.350	1.360	1.370	1.380	1.390	1.400	1.410	1.420	1.430	1.440	1.450	1.460	1.470	1.480	1.490	1.500	1.510	1.520	1.530	1.540	1.550	1.560	1.570	1.580	1.590
PERCENT	SULFUR	0:30	0.31	0.32	0.33	0.34	0.35	0.36	0.37	0.38	0.39	0.40	0.41	0.42	0.43	0.44	0.45	0.46	0.47	0.48	0.49	0.50	0.51	0.52	0.53	0.54	0.55	0.56	0.57	0.58	0.59

SECTION J.D

EXHIBIT D

MATERIAL INSPECTION AND RECEIVING REPORT DD FORM 250 and DD FORM 250-1

DD FORM 250

MATERIAL INSPECTION AND RECEIVING REPORT									FORM APPROVED OMB No. 0704-0248		
The public reporting burden for this collection of information is estimated to everage 30 minutes per response, including the time for reviewing, instructions, searching existing data sources, gathering and mantraining the data receded, and completing and reviewing the collection of information. Send comments regarding this burden estimate or easy other aspect of this collection of information, including suggestions for reducing this burden of Devians, to Oppartment of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 107040248) 1215 Jefferson Devia Highway, Suite 1284, Arington, VA 222024392, and to the Office of Management and Budget, Papework Reduction Project (97040248) shington, DC 20503. Respondents should be ewere that solveithstanding easy other provision of lew, no person shall be subject to any penaltylor faling to comply with a collection of information if it does not display a currently-valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. SEND THIS FORM IN ACCORDANCE WITH THE INSTRUCTIONS CONTRAINED IN THE DRARS, APPENDIX F-401.											
PROCUREMENT INSTRUMENT IDENTIFICATION (ORDER) NO. (CONTRACT) NO.				6. INVOICE NO./DATE				OF	8. ACCEPTANCE POINT		
DOE OWNED CRUDE	E OIL				1	1	roin.				
2. SHIPMENT NO.		DATE SHIPPE	D	4. B/L		5. DISCOUNT TERMS					
9. PRIME CONTRACTO	OR CODE			TCN 10. ADMINISTE	DED BY			CODE			
Fluor Federal Petroleu			DEPARTMENT OF ENERGY				CODE	'			
850 S. Clearview Pkw			STRATEGIC PETROLEUM RESERVE								
New Orleans, LA 7012		CODE	500	PROJECT MANAGEMENT OFFICE 12. PAYMENT WILL BE MADE BY				2005			
IT SHIPPED FROM A	r blaer than 3)	CODE	POB:	IZ. PAYMENT		CODE					
13. SHIPPED TO	CODE			14. MARKED F	OR		CODE				
			14. MARKED FOR					'			
15	16. STOCK/PA			RIPTION	17. QUANTITY	18.	19		20.		
ITEM NO.	(Indicate number of	shipping container	s - type of container- con	ntainer number.)	SHIP/REC'D *	UNIT	UNIT P	RICE	AMOUNT		
i					NET @ 60°F.						
l l	_										
	Gross					BARRELS					
i											
!											
i											
21. CONTRACT QUA			JALITY ASSURANCE			22. RECEIVER'S USE			'S USE		
a. ORIGIN			b. DESTINATION			Quantities shown in column 17 were received in apparent good condition except as noted.					
∐ CQA ∐ ACCEPTA			☐ CQA ☐ ACCEP	in apparent good condition except as noted.			as noted.				
has been made by me or under my supervision and they conform to contract, except as noted			been made by me conform to contract								
herein or in supporting documents.			supporting documents.			DATE RECEIVED SIGNATURE OF AUTHORIZED					
						GOVERNMENT REPRESENTATIVE			PRESENTATIVE		
DATE	SIGNATURE OF	ALITHODIZED	DATE	SIGNA	TURE OF AUTHORIZED	TYPED NAME:					
GOVERNMENT REPRESENTATIVE			GOVERNMENT REPRESENTATIVE			MAILING ADDRESS:					
TYPED NAME:			TYPED NAME:			l					
			TITLE:								
MAILING ADDRESS:			MAILING ADDRESS:	COMMERCIAL TEL NUMBER:	OMMERCIAL TELEPHONE						
						*If quantity recei	ived by the	Governn	entis the		
								tity shipped, indicate by (x)			
COMMERCIAL TELEPHONE NUMBER:			COMMERCIAL TELEPH NUMBER:		mark; if different, enter actual quantity re- ceived below quantity shipped and encircle.						
23. CONTRACTOR USE	ONLY:		NUMBER	ceived below q	uantty snip	pea and	encircie.				
DD FORM 250, AUG 2000 PREVIOUS EDITION IS OBSOLETE. "U.S. GPQ:1990-0-261-056/0						0303					

Section J, Page J-16

TANK/BAR AND		FORMAPPROVED OME No. 8764-8248 Expires Dec 31, 1998								
Public reporting burden for this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0248), Washington, DC 20503. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES.										
SEND THIS FORM IN ACCORDAN I. TANKER BARGE		TRUCTIONS CONTAIN 2. INSPECTION O		DFARS, APPE		401. 3. REPORT	NUMBER			
LOADING REPORT DISCHARGE R 4. AGENCY PLACING ORDER ON SHIPPER, CITY, STATE, AND/O	(Loading)		PARTMENT		8. PRIME CONTRACT OR P.O. NUMBER					
DOE * 850 S. Clearview Pkwy * New Orleans * LA 7. NAME OF PRIME CONTRACTOR, CITY, STATE AND/OR LOCA	* 70123 L ADDRESS	(Loading)	,	DOE	-	8 STORAGE CO	STORAGE CONTACT			
* * * * 9. TERMINAL OR REFINERY SHIPPED FROM, CITY, STATE AND				10. ORDER NUMBER OR SUPPLIER						
A CUIDDED TO (Described Addition Ch. State and fact and Address)	\dashv	12. B/L NUMBER								
1 SHIPPED TO (Receiving, Activity, City, State and/or Local Address) SPR SITE					l	13. REON, OR 14, CARGO NUMBER				
F		REQUEST NO.								
15. VESSEL		16. DRAFT ARRIVAL				17. DRAFT SAILING				
18 PREVIOUSTWO CARGOES		FORE AFT 19. PRIOR INSPECTION				FORE AFT				
EIRST LAST 20. CONDITION OF SHORE PIPELINE		21: APPROPRIATION (Loading)				22: CONTRACT ITEM NO:				
23. PRODUCT		24. SPECIFICATIONS								
25. STATEMENT OF QUANTITY		LOADED		DISCHARGED	LOS	S/GAIN	PER CENT			
BARRELS (42 Gals/Net) NSV										
GALLONS (Net) TONS (Long) Barrels GSV			\dashv							
6. TEST RESULTS		STATEMENT OF QUALITY				T. HOD DADTY NODESTOR				
TEST RESULTS	- 45	VESSEL COMPOSITE		TEST RESULTS		THIRD PARTY INSPECTOR VESSEL COMPOSITE				
API GRAVITY			-							
BS&W S&W										
SULFUR (WT%)										
RVP	_		-		-					
VISC @ 60 DEG. F (CST)			_		$\overline{}$					
VISC @ 100 DEG. F					\neg					
(CST)										
SALT					\rightarrow					
POUR			-		-					
TAN			1		$\overline{}$					
					-					
			1		$\overline{}$					
			١.		\neg					
27 TIME STATEMENT	Ì	ATF T	IME	28. REMARKS (Not breakdowns, slo						
				preakdomis, sic	w operau	ioris, stoppage,	otc./			
				90						
			COMPANY OR	RECEIVI	EIVING TERMINAL					
				(Signature)						
 I CERTIFY THAT THE CARGO WAS INSPECTED, ACCEPTED A DISCHARGED AS INDICATED HEREON. 	ND LOADED/	31. IH	EREBY CER	TIFY THAT THIS TI	ME STAE	EMENT IS CORF	RECT			
(Date) (Signature of Authorized Go	vernment Representation	ve)			(Master o	or Agent)				

SECTION J.E

$\underline{\mathsf{EXHIBIT}\;\mathsf{E}}$

CRUDE OIL DELIVERY LOCATION INFORMATION

EXHIBIT E

CRUDE OIL DELIVERY LOCATION INFORMATION

Contact for delivery information

Oil Movements Scheduling

Bradley Bauer Fluor Federal Petroleum Operations 850 S. Clearview Parkway New Orleans, LA 70123 Office: 504-734-4376

Cell: 504-234-0145

Alternate: Chuck Costanza Office: 504-734-4733 Cell: 504-234-5733

E-Mail FFPOCOL@SPR.DOE.GOV

(i) Sun Marine Terminal, Nederland, TX

Mike Birkett, Director - Operations (409) 721-4404 Joshua McQueen-Sr. Manager (409) 721-4819 Bill Wheeler, Manager, Nederland Scheduling (409) 721-4813 Control Room (409) 721-4845 Marine Scheduler (409) 721-4812 Pipeline Scheduler (409) 721-4823 Shift Supervisor (409) 720-7972

(ii) Phillips 66 (Beaumont Terminal) Nederland, TX

Mike Mott, Team Lead, Beaumont Scheduling O(409) 724-3337 C(281) 660-2247 Mark Maxwell, Products Scheduling O(409)724-3288 C(409)724-3209 Johnny Gaw, Crude Pipeline Scheduler O(409)724-3232 C(832) 358-5831 Peggy Smith, Crude Ship Scheduler O(409)724-3232 C(281)235-2936 Randy Hudson, Products Scheduler O (409)724-3215 C (409)519-0059

EXHIBIT E

EXHIBIT ECRUDE OIL DELIVERY LOCATION INFORMATION (Continued)

(DOE latest information obtained from terminal. Any update must be obtained directly from terminal)

SUNOCO LOGISTICS TERMINAL

LOCATION: Nederland, Texas (on the Neches River at Smiths Bluff in southwest Texas, 34.6

nautical miles from the bar)

CRUDE OIL STREAMS: West Hackberry Sweet and West Hackberry Sour / Big Hill Sweet and Big Hill Sour

DELIVERY POINTS: Sun Terminal marine dock facility and Sun Terminal connections to local

commercial pipelines

MARINE DOCK FACILITIES AND VESSEL RESTRICTIONS:

TANKSHIP DOCKS: 5 Docks: Nos. 1, 2, 4 and 5

MAXIMUM LENGTH
OVERALL (LOA):

Dock	LOA	Beam	Max DWT	Draft	Air Draft
Ship Dock 1	875'	137'	85,000	40'	136'
Ship Dock 2	1000'	174'	150,000	40'	136'
Ship Dock 4	1000'	174'	150,000	40'	136'
Ship Dock 5	900'	150'	150,000	40'	136'

Sabine Pilot - Daylight Transit Restrictions

LOA 875' Beam 125' DWT 85,000

Vessels that meet or exceed these restrictions must transit during daylight hours only.

EXHIBIT E CRUDE OIL DELIVERY LOCATION INFORMATION (Continued)

(DOE latest information obtained from terminal. Any update must be obtained directly from terminal)

BARGE LOADING CAPABILITY:

Dock	LOA	Beam	Max DWT	Draft	Air Draft
A dock	300'	150'	n/a	15'	136'
B dock	300'	150'	n/a	15'	136'
C dock	300'	75'	n/a	15'	136'
#1 dock	875'	137'	n/a	40'	136'
#2 dock	1000'	174'	n/a	40'	136'
Upper anchorage	1000'	150'	150,000	40'	136'
Lower anchorage	1000'	150'	150,000	35'	136'

OILY WASTE RECEPTION FACILITIES:

Oil waste disposal is only allowed via mobile vacuum truck before or after discharge operations and requires the area to be boomed off to contain any potential spills. All disposal operations require 24 hour advance notification and approval from the Duty Foreman.

CUSTOMARY ANCHORAGE:

There is anchorage available South of S.B. Buoy (Lat. 29 deg. 25 min. N., and Long, 93 deg. 40 min. W.) and also at Sabine Bar for (5) vessels with fresh water draft of 36 ft. or less; and short term anchorage for vessels of less than 40 ft. draft in truning basin (2 hrs.) with permission of Sabine Pilots Association. SPMT has available two anchorage location adjacent to the Terminal (known as the "Old River") for two deep draft vessels and barges. The Upper Anchorage located in the northwestern part of the Terminal can accommodate vessels up to 40 ft. draft (MLT) and the Lower Anchorage located in the southern part of the Terminal can accommodate another vessel up to 36 ft. draft (MLT), The Lower Anchorage can also be used by Tugs and Barges as a waiting area until they are called in to berth at the Terminal, as long as they do not interfere with any vessel in this area. Deep draft vessels are required to make arrangements with the Terminal's Marine Scheduler for use of any of (SPMT's) lay berths off the Island adjacent to the Terminal.

Section J, Page J-21

EXHIBIT E CRUDE OIL DELIVERY LOCATION INFORMATION (Continued)

(DOE latest information obtained from terminal. Any update must be obtained directly from terminal)

Phillips 66 BEAUMONT TERMINAL

LOCATION: Beaumont Terminal, located downstream south bank of the Neches River, approximately 8 miles SE

of Beaumont, Texas

PETROLEUM STREAMS: Big Hill Sweet and Big Hill Sour

DELIVERY POINTS: Phillips 66 Beaumont Terminal No. 2 Crude Dock and connections to local commercial

pipelines

MARINE DOCK FACILITIES AND VESSEL RESTRICTIONS:

TANKSHIP DOCKS: 1 Dock (No. 2)

MAXIMUM LENGTH

OVERALL (LOA): 1,020 feet MAXIMUM BEAM: 150 feet

MAXIMUM DEADWEIGHT TONS (DWT):

Maximum DWT at Dock No. 2 is 150,000 DWT. Vessels larger than 85,000 DWT, 875 feet LOA, or 125 feet beam are restricted to daylight transit. Maximum DWT is theoretical berth handling capability; however, purchasers are cautioned that varying harbor and channel physical constraints are the controlling factors as to vessel size and they are responsible for confirming that proposed vessels can be accommodated.

BARGE LOADING CAPABILITY: None

OILY WASTE RECEPTION FACILITIES:

Facilities are available for oily bilge water and sludge wastes. Purchasers are responsible for making arrangements with the terminal and for bearing costs associated with such arrangements.

CUSTOMARY ANCHORAGE:

South of Sabine Bar-Buoy. There is an additional anchorage at the Sabine Bar for vessels with draft of 39 feet or less.

SECTION J.F

EXHIBIT F

JONES ACT

EXHIBIT F

Offerors are advised that the requirements of the "Jones Act" must be met for the marine delivery of crude oil purchased in this sale which is destined for U.S. ports. The Secretary of the Department of Homeland Security has not issued a general ('blanket') waiver of the 'Jones Act' for the marine delivery of crude oil purchased in this sale. Consequently, it is necessary for an Apparently Successful Offeror (ASO) to follow the procedures listed below for submission of a Jones Act waiver request.

Prior to seeking a waiver of the "Jones Act" under 46 U.S.C. 501, Contractors should contact the U.S. Maritime Administration (MARAD) to seek information on the availability of U.S.-flag, suitable coastwise-qualified vessels for the transportation of crude oil to be purchased by SPR. In the event that a "Jones Act" waiver is required, and the Contractor submits a request for a waiver, MARAD will provide information to the U.S. Department of Homeland Security regarding the availability of such vessels. If a U.S.-flag, suitable coastwise-qualified vessel is located, and the Contractor uses such vessel for the transportation of crude oil to be purchased by SPR, no waiver is needed.

MARAD can be contacted at:

Deputy Associate Administrator
Director of Cargo Preference and Domestic Trade
Maritime Administration
U.S. Department of Transportation
1300 New Jersey Avenue, SE
Washington, D.C. 20590

Telephone: (202) 366-4610

Fax: (202) 366-7901

EXHIBIT F continued

And additional information related to domestic shipping is available at:

http://www.marad.dot.gov/ships shipping landing page/domestic s hipping/Domestic Shipping.htm

Unless otherwise specified in the Request for Proposal, a Contractor seeking a waiver of the "Jones Act" should submit a request by letter or electronic means, in accordance with Department of Homeland Security requirements to:

U. S. Customs and Border Protection

Office of International Trade/Regulations and Rulings Chief

Cargo Security Carriers and Restricted Merchandise Branch

U.S. Department of Homeland Security

90 K Street, N.E., 10th Floor

Washington, D.C. 20229

Telephone No. (202) 325-0215

Fax: (202) 325-0154

Contractors should identify themselves as a participant in the Government U.S. Produced Crude Oil purchase program in this Request for Proposal.

EXHIBIT F continued

Copies of the Jones Act waiver requests should also be sent, as appropriate, to:

(1) Deputy Associate Administrator

Director of Cargo Preference and Domestic Trade

Maritime Administration

U.S. Department of Transportation

1300 New Jersey Avenue, SE

Washington, D.C. 20590

Telephone: (202) 366-4610

Fax: (202) 366-7901

(2) U.S. Department of Energy

Deputy Assistant Secretary for

Petroleum Reserves, CR-40

1000 Independence Avenue, SW

Washington, D.C. 20585

Telephone: (202) 586-4733

Fax: (202) 586-7919

(3) Contracting Officer, CR-46.6

Strategic Petroleum Reserve Project Management Office

Office of Acquisition and Sales

900 Commerce Road East

New Orleans, LA 70123

Telephone: (504) 734-4343

Fax: (504) 818-5343

EXHIBIT F continued

(4) Office of the Assistant Deputy Under Secretary of Defense

(Transportation Policy) OADUSD

U.S. Department of Defense

3500 Defense Pentagon

Washington, DC 20301-3500


Telephone: (703) 601-4461 x102

Fax: (703) 601-4477

SECTION J.G

EXHIBIT G

DIAGRAMS OF DOE FACILITIES



SECTION J.H

EXHIBIT H

SPR Nomination Form

SPR Operations
Fluor Federal Petroleum Operations
New Orleans, Louisiana
FFPOCOL@SPR.DOE.GOV

Scheduler
Bradley Bauer (504) 234-0145
Chuck Costanza (504) 734-4733
Quantity and Quality
Ned Schennegrell (504) 732-6146

Ned Scheppegrell (504) 722-6146							
The following Information Must Be Provided by the Contractor							
Submission Date:	Submission Type: Original Nomination						
Contract No.: Contractor: Address:							
Contractor Contact Infor Primary Contact: Office: Cell: Email:	mation	Alternate: Office: Cell: Email:					
Designee can be contractor of Office: Office Phone Cell: Cell Phone Email: Email Address	or Signatory Designee: Sig ffice personnel, 3 rd party inspection e to be used, please input "See Atta	n company†, or chosen loss contro		omination.			
†Third Party Inspection Company: 3 rd Party Insp Contact: 3 rd Party Contac Contact Ned Scheppegrell for	ection Company	nspection and testing. (See Note at	bottom of page)				
	formation and Delivery Win						
Delivery Window	Pipeline/Vessel	Volume (MB)	SPR Site	Destination			
				+			
	Total Volume:						
The Following information to be provided by SPR Operations Personnel							
Terminal Information							
Terminal: Contact:		Quality Point					
Contact:		<u>Q</u> :	uantity Point				

DOE needs to pre-test each cargo prior to receipt, please contact Ned Scheppegrell 504-722-6146 Ned.Scheppegrell@spr.doe.gov and or Adam Morgan 504-360-4968 Adam.Morgan@spr.doe.gov (see table of contents to download this example)

PART IV – REPRESENTATIONS AND INSTRUCTIONS

SECTION K

REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF OFFERORS OR RESPONDENTS

PART IV – REPRESENTATIONS AND INSTRUCTIONS

SECTION K

REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF OFFERORS OR RESPONDENTS

The Contractor's representations and certifications, including those completed electronically via the System for Award Management (SAM), are incorporated by reference into the contract