

RECORD OF CATEGORICAL EXCLUSION DETERMINATION

Project ID No.: 10107245

Title: LE 2 Geotechnical Services for SPR

Description: The Geotechnical Engineering contractor (Contractor) shall locate borings at site and note ground elevation of each (Hand held GPS at time of drilling is acceptable). At a minimum, borings shall extend to a depth of 75 feet below the existing surface or until refusal. Bryan Mound boring depths of 150 feet are required for the HDD design. Prior to the start of this work the Geotechnical Engineering Contractor's Registered Professional Engineer for the state in which the borings are taken (Geotechnical Engineer) shall review previous geotechnical reports and provide a written recommendation outlining the recommended boring depths and locations for all sites.

Regulatory Requirements National Environmental Policy Act (NEPA) Implementing Procedures (10 Code of Federal Regulations (CFR) 1021)

10 CFR 1021.410 (Application of Categorical Exclusions)

(a) The actions listed in Appendices A and B of Subpart D are classes of actions that Department of Energy (DOE) has determined do not individually or cumulatively have a significant effect on the human environment (categorical exclusions).

(b) To find that a proposal is categorically excluded, DOE shall determine the following:

- (1) The proposed action fits within a class of actions that is listed in Appendix A or B of Subpart D;
- (2) There are no extraordinary circumstances related to the proposal that may affect the significance of the environmental effects of the proposal; and
- (3) The proposal is not "connected" (40 CFR 1508.25(a)(1)) to other actions with potentially significant impact, is not related to other proposed actions with cumulatively significant impacts (40 CFR 1508.25(a)(2)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211.

Appendix B (Categorical Exclusions Applicable to Specific Agency Actions)

The proposed action must not:

1. Threaten a violation of statutory, regulatory, or permit requirements for environment, safety, and health, including requirements of DOE and/or Executive Orders;
2. Require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities;
3. Disturb hazardous substances, pollutants, contaminants, or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA)-excluded petroleum and natural gas products that preexist in the environment such that would be uncontrolled or un-permitted releases;
4. Have the potential to cause significant impacts on environmentally sensitive resources, which includes (i) property (sites, buildings, structures, and objects) of historical, archeological, or architectural significance; (ii) federally-listed and state-listed threatened or endangered species or their habitat, federally-protected marine mammals and essential fish habitat and otherwise federally-protected species; (iii) floodplains and wetlands; (iv) federally and state designated areas (wilderness areas, national parks, national monuments, national natural landmarks, wild and scenic rivers, wildlife refuges, scenic areas, and marine sanctuaries); (v) prime or unique farmland; (vi) special sources of water (sole-source aquifers, wellhead protection areas, and other vital water resources); and (vii) tundra, coral reefs, or rain forests); or
5. Involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species.

RECORD OF CATEGORICAL EXCLUSION DETERMINATION

NEPA Preparer: Jennifer Auger Creation Date: 06/19/2018

Environmental Analysis: (mark all environmental aspects that are applicable to this project)

Air Emissions	<u> </u>	Environmental Monitoring	<u> </u>	Fire	<u> </u>
Green Procurement	<u> </u>	Project Design	<u> </u>	Waste	<u> X </u>
Spills/Releases	<u> </u>	Cavern Integrity	<u> </u>	Discharges	<u> </u>
Energy Use	<u> </u>	Natural Resource Preservation	<u> </u>	Water Use	<u> </u>
Transportation	<u> </u>	Chemical Use/Selection	<u> X </u>	Public Involvement	<u> </u>
Sustainable Building	<u> </u>	Electronic Stewardship	<u> </u>	Wetlands Permitting	<u> </u>
Clean Water	<u> </u>	Pollution Prevention	<u> </u>		

Aspects/Requirements:

The task consists of soil boring readings.

- Subcontractor must submit a Waste Management Plan to FFPO Environmental for review and approval prior to commencement of work.
- Subcontractor must only use products for the SPR Qualified Products List or submit SDSs to FFPO Environmental for review and approval prior to commencement of work.

Categorical Exclusion (CX) Determination

NEPA review suggests this project is a Categorical Exclusion. This suggestion is based on review of the project description. If there are changes in the scope of this project additional NEPA review may be required.

CX to be applied B3.1

Site characterization and environmental monitoring (including, but not limited to, siting, construction, modification, operation, and dismantlement and removal or otherwise proper closure (such as of a well) of characterization and monitoring devices, and siting, construction, and associated operation of a small-scale laboratory building or renovation of a room in an existing building for sample analysis). Such activities would be designed in conformance with applicable requirements and use best management practices to limit the potential effects of any resultant ground disturbance. Covered activities include, but are not limited to, site characterization and environmental monitoring under CERCLA and RCRA. Specific activities include, but are not limited to: Sampling and characterization of water, soil, rock, or contaminants (such as drilling using truck- or mobile-scale equipment, and modification, use, and plugging of boreholes).

NEPA Review Workflow

This NEPA document is being routed to the following persons or their backups for concurrence.

FFPO Environmental Concurrence: Bob Sevcik

SPR Derivative Classifier Concurrence: Jeff Dugar or Thomas Crosby

DOE Env. Safety & Health Director Concurrence: Joe Catyb

NEPA Approval

Based on my review of information conveyed to me and in my possession the proposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1) I have determined that the proposed action fits within the specified actions, the other regulatory requirements set forth above are met, and the action is hereby excluded from further NEPA review.

Approved By

DOE NEPA Compliance Officer

Stephen Reese

NEPA Review Summary

Created By:	Auger, Jennifer
Date NEPA Review Initiated:	6/19/2018
Type of NEPA Review:	Type B
Project ID Number:	PR10107245
Title:	LE-2 Geotechnical Services
Workflow Status:	Approved

If Workflow Status is Rejected, see below for Reason:

Concurrence Details:

Sevcik, Bob 6/21/2018
FFPO Environmental Concurrence Compliance Date
(not required for Type A-DOE Only Record of NEPA Review or Type B-DOE Only Record of Categorical Exclusion Determination)

Dugar, Jeffery 6/21/2018
SPR Derivative Classifier Compliance Date
(only required for Type B)

Catyb, Joseph 6/21/2018
DOE ES&H Director (or Acting) Compliance Date
(only required for Type B & Type A-DOE Only Record of NEPA Review)

Reese, Stephen 6/21/2018
DOE NEPA Compliance Officer (or Acting) Compliance Date

ALL SIGNATURES WERE CAPTURED VIA THE ELECTRONIC WORKFLOW SYSTEM.

Click on the following Link to view the associated NEPA Document:

https://myspr.spr.doe.gov/sites/sprworkflow/nepa/NEPA_Uploaded_Documents/Categorical_Exclusion_10107245_LE_2_Geotechnical_S