

RECORD OF CATEGORICAL EXCLUSION DETERMINATION

Project ID No.: BM-OM-1191

Title: Upgrade Wood to Steel Lighting Poles

Description: The contractor shall provide all materials, tools, equipment, supplies, hardware, transportation, facilities, labor, supervision and services required to safely and successfully install three metal light poles with concrete foundations with two light fixtures on each pole. The contractor will also remove three existing sunk-in-grade wood light poles at the Department of Energy's federal crude oil reserve site located at Bryan Mound. The locations for removal of wood poles and installation of metal poles are as follows: Cavern # 4 Pole # 2, Cavern # 106 Pole # 2, Cavern 107 # 1. The metal poles will replace the wood poles at the same locations. The replacement of the poles will include and not be limited to all wiring, connectors, conduit, excavation, placing concrete, backfill material, HPS light fixtures and lamps, metal poles and the pole mounting hardware, light fixture mounting bullhorns, CLX cable, splice kits, fuses and in-line fuse holders.

Regulatory Requirements National Environmental Policy Act (NEPA) Implementing Procedures (10 Code of Federal Regulations (CFR) 1021)

10 CFR 1021.410 (Application of Categorical Exclusions)

(a) The actions listed in Appendices A and B of Subpart D are classes of actions that Department of Energy (DOE) has determined do not individually or cumulatively have a significant effect on the human environment (categorical exclusions).

(b) To find that a proposal is categorically excluded, DOE shall determine the following:

- (1) The proposed action fits within a class of actions that is listed in Appendix A or B of Subpart D;
- (2) There are no extraordinary circumstances related to the proposal that may affect the significance of the environmental effects of the proposal; and
- (3) The proposal is not "connected" (40 CFR 1508.25(a)(1)) to other actions with potentially significant impact, is not related to other proposed actions with cumulatively significant impacts (40 CFR 1508.25(a)(2)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211.

Appendix B (Categorical Exclusions Applicable to Specific Agency Actions)

The proposed action must not:

1. Threaten a violation of statutory, regulatory, or permit requirements for environment, safety, and health, including requirements of DOE and/or Executive Orders;
2. Require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities;
3. Disturb hazardous substances, pollutants, contaminants, or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA)-excluded petroleum and natural gas products that preexist in the environment such that would be uncontrolled or un-permitted releases;
4. Have the potential to cause significant impacts on environmentally sensitive resources, which includes (i) property (sites, buildings, structures, and objects) of historical, archeological, or architectural significance; (ii) federally-listed and state-listed threatened or endangered species or their habitat, federally-protected marine mammals and essential fish habitat and otherwise federally-protected species; (iii) floodplains and wetlands; (iv) federally and state designated areas (wilderness areas, national parks, national monuments, national natural landmarks, wild and scenic rivers, wildlife refuges, scenic areas, and marine sanctuaries); (v) prime or unique farmland; (vi) special sources of water (sole-source aquifers, wellhead protection areas, and other vital water resources); and (vii) tundra, coral reefs, or rain forests); or
5. Involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species.

RECORD OF CATEGORICAL EXCLUSION DETERMINATION

NEPA Preparer: Matthew Dubuc Creation Date: 08/16/2018

Environmental Aspects: (mark all environmental aspects that are applicable to this project)

Air Emissions		Environmental Monitoring		Fire	
Green Procurement		Project Design		Waste	X
Spills/Releases		Cavern Integrity		Discharges	
Energy Use		Natural Resource Preservation		Water Use	
Transportation		Chemical Use/Selection	X	Public Involvement	
Sustainable Building		Electronic Stewardship		Wetlands Permitting	
Clean Water		Pollution Prevention			

Categorical Exclusion (CX) Determination

NEPA review suggests this project is a Categorical Exclusion. This suggestion is based on review of the project description. If there are changes in the scope of this project additional NEPA review may be required.

CX to be applied B1.3

Routine maintenance activities and custodial services for buildings, structures, rights-of-way, infrastructures (including, but not limited to, pathways, roads, and railroads), vehicles and equipment, and localized vegetation and pest control, during which operations may be suspended and resumed, provided that the activities would be conducted in a manner in accordance with applicable requirements. Custodial services are activities to preserve facility appearance, working conditions, and sanitation (such as cleaning, window washing, lawn mowing, trash collection, painting, and snow removal). Routine maintenance activities, corrective (that is, repair), preventive, and predictive, are required to maintain and preserve buildings, structures, infrastructures, and equipment in a condition suitable for a facility to be used for its designated purpose. Such maintenance may occur as a result of severe weather (such as hurricanes, floods, and tornados), wildfires, and other such events. Routine maintenance may result in replacement to the extent that replacement is in-kind and is not a substantial upgrade or improvement. In-kind replacement includes installation of new components to replace outmoded components, provided that the replacement does not result in a significant change in the expected useful life, design capacity, or function of the facility. Routine maintenance does not include replacement of a major component that significantly extends the originally intended useful life of a facility (for example, it does not include the replacement of a reactor vessel near the end of its useful life).

NEPA Approval

Based on my review of information conveyed to me and in my possession the proposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1) I have determined that the proposed action fits within the specified actions, the other regulatory requirements set forth above are met, and the action is hereby excluded from further NEPA review.

Approved By

DOE NEPA Compliance Officer

Stephen Reese

NEPA Review Summary

Created By:	Auger, Jennifer
Date NEPA Review Initiated:	8/18/2018
Type of NEPA Review:	Type B
Project ID Number:	BM-OM-1191
Title:	Upgrade Wood to Steel Lighting Poles
Workflow Status:	Approved

If Workflow Status is Rejected, see below for Reason:

Concurrence Details:

Sevcik, Bob 8/20/2018
FFPO Environmental Concurrence *Compliance Date*
(not required for Type A-DOE Only Record of NEPA Review or Type B-DOE Only Record of Categorical Exclusion Determination)

Crosby, Thomas 8/20/2018
SPR Derivative Classifier *Compliance Date*
(only required for Type B)

Catyb, Joseph 8/20/2018
DOE ES&H Director (or Acting) *Compliance Date*
(only required for Type B & Type A-DOE Only Record of NEPA Review)

Reese, Stephen 8/27/2018
DOE NEPA Compliance Officer (or Acting) *Compliance Date*

ALL SIGNATURES WERE CAPTURED VIA THE ELECTRONIC WORKFLOW SYSTEM.

Click on the following Link to view the associated NEPA Document:

[https://myspr.spr.doe.gov/sites/sprworkflow/nepa/NEPA_Uploaded_Documents/Categorical_Exclusion_BM-OM-1191_Upgrade_Wood t](https://myspr.spr.doe.gov/sites/sprworkflow/nepa/NEPA_Uploaded_Documents/Categorical_Exclusion_BM-OM-1191_Upgrade_Wood_t)